


Utah State Profile of Exposure to Coal-Fired Power Plants



Map Legend

Circles Represent a Thirty Mile Radius around Power Plants

Major Cities are Shown

State Profile

Total Number of Power Plants	5
Total Reported Releases	
Air	37,118,861
Land	2,726
Water	0
Total Lake Acres/River Miles under Mercury Fish Advisory	0 / 0
Total Ozone Non-Attainment Areas	0

Exposure Within 30 Mile Radius

Total Population	129,282
Total Number of Children	46,530
Total Number of Children in Poverty	7,899
Total Number of Children With Asthma	2,603

Environmental Release Profile

Air Releases are for 2000

Land and Water Releases are for 1998

Utah

Air Releases (tons except where noted)

Land Waste in Tons (on site (off site))

Plant Name	County	Air Releases (tons except where noted)									Land Waste in Tons (on site (off site))				
		Total Reported Air Releases	NOx	SO2	CO2	PM2.5	PM10	VOCs	Acid Gases	Mercury (lbs)	Total Reported Land releases	Arsenic	Chromium	Nickel	Total Reported Water Releases
Bonanza	Uintah	3,379,127	5,692	1,038	3,372,095	82	222	45	35	36	910	0 (0)	0 (0)		0
Carbon	Carbon	1,462,174	3,094	4,604	1,453,574	362	803	17	82	46	75	0 (0)	0 (0)		0
Hunter	Emery	10,083,357	20,869	4,970	10,055,890	412	948	113	567	219	375	9 (0.1)	50 (2)	27 (0.2)	0
Huntington	Emery	6,990,806	14,452	13,112	6,961,705	457	1,007	83	446	179	537	0 (0)	32 (0.2)	14 (0)	0
Intermountain	Millard	15,203,397	30,919	3,474	15,168,027	271	734	167	75	150	829	57 (0)	118 (0)	9 (0)	0
Total		37,118,861	75,026	27,198	37,011,291	1,585	3,715	424	1,206	629	2,726	66 (0)	200 (2)	50 (0)	0

Notes and Sources: All releases are given in tons per year except for mercury which is given in pounds per year. Total air releases is the sum of NOx, SO2, CO2, PM10, VOCs, acid gases, and mercury (PM2.5 is included in PM10). The specific land waste metals were chosen due to their potential to contaminate groundwater. Metals listed include metals and their compounds. The Total Reported Land Releases column does not reflect all solid waste generated from coal-fired power plants. Water releases include total releases from the Toxics Release Inventory (TRI). SO2, NOx, and CO2 emissions come from the EPA's Continuous Emissions Monitoring System data for 2000. Mercury is calculated by applying the mercury emission rates developed in "Mercury Falling" (Environmental Working Group, Clean Air Network, and NRDC, 1999) to the heat input reported in the EPA CEMS data for 2000. PM2.5, PM10, VOCs, and acid gas emission rates were calculated based on the Clean Air Network's data for 1998 emissions. The emission rates were applied to the heat input for 2000. All other data came from the Clean Air Network 1998 data. All calculations were done by MSB Energy Associates for the Clean Air Task Force.

Utah Exposure Profile for Children Within 30 Miles of a Coal-Fired Power Plant

Data Sources: U.S. Census Population Estimates for 1997; "Estimated Prevalence and Incidence of Lung Disease by Lung Association Territory," American Lung Association, 2001 (data is for 1998).

Exposure from Plants in State

Plant	State	County	Exposed Population	Children Under 18	Children in Pediatric Poverty	Asthma
Carbon	UT	Carbon	38,094	13,543	2,079	724
Hunter	UT	Emery	38,926	13,672	2,034	773
Intermountain	UT	Millard	29,761	10,507	1,348	620
Bonanza	UT	Uintah	24,808	9,196	1,598	511
Huntington	UT	Emery	51,580	17,851	2,711	991