



Powering the Future: What 50 Years of Enhanced Geothermal Teaches Us Today

Jason Lipton, Boulder Energy Advisory
Angela Seligman, Clean Air Task Force

August 2025



CLEAN AIR
TASK FORCE

Table of Contents

Section I: Executive Summary	3
Section II: EGS Overview	5
Section III: Results and Current Status	8
A. Faster drilling (ROP)	9
B. Higher production temperatures	11
C. Higher flow rates	11
D. Deeper and longer wells	13
E. Lower drilling costs	14
F. Coproduction opportunities	15
G. Growth in Purchase Agreements (PPAs and HPAs)	16
Section IV: Additional Keys to Unlock Full Potential	19
Section V: Conclusion	21
Section VI: Key References Per Project	24
Section VII: Bibliography	29
Section VIII: Appendix – Methodology	54

See the [Superhot Rock Geothermal Glossary](#) for more information on the definitions linked in this report.



Photo credit: Eric Larson, FlashPoint SLC via UtahForge

Section I

Executive Summary

Over 50 years have passed since the pioneering Fenton Hill [Enhanced Geothermal System \(EGS\)](#) project set out to create an artificial geothermal reservoir in hot ‘dry’ rock. Since then, **over 100 projects have been conducted world-wide**, collectively advancing EGS technology, techniques, and economics. This study sought to examine and analyze the progress that has been made, from the early research projects to today’s commercially viable developments. Specifically, this research had two objectives: A) assembling a comprehensive and standardized database of all past and present EGS projects, and B) analyzing key trends and advancements to quantify where and how progress is enabling current and near-term developments. We are now seeing multiple projects at an unprecedented scale and speed of development, with hundreds of megawatts of capacity currently under construction.

Comprehensive EGS Project Database

To form the foundation for this analysis and to measure what metrics have improved, this study synthesized a comprehensive dataset of

over 60 technical, operational, and financial characteristics from 103 historical and ongoing EGS projects. This roster of projects included ‘traditional’ EGS developments as well as enhanced hot sedimentary aquifers (HSA) and enhanced hydrothermal projects, as each of these has applied—and contributed to—EGS research and advancement. Over 400 research reports, technical papers, government publications, press releases, and company announcements were scrutinized to identify and incorporate reliable and representative data for each project.

Trend Analysis

Subsequently, an analysis of technical and economic characteristics from all projects was conducted. Comparative analysis **highlights dramatic improvements** that have been accomplished along a number of key technoeconomic metrics. Project data was analyzed along several key metrics and indicators commonly associated with technical advances and commercialization.

Key Findings

The current state of EGS—at the cusp of what appears to be a commercial naissance—has been attained through a combination of incremental advancements and recent transformative, step-change innovations. Notable findings include:



Faster drilling: Average total well rates of penetration (ROP) have reached up to 8.4 m/hr (28 ft/hr) in commercial wells, up to 31 m/hr (102 ft/hr) under test conditions at Utah FORGE (Akindipe & Witter, 2025), and an instantaneous ROP of over 300 ft/hr at Fervo’s Sugarloaf appraisal well (Fervo Energy, 2025).



Increasing production temperatures: Over time, projects are getting hotter on average. As technology continues to improve, projects stand to leverage several times more energy from supercritical temperatures (Clean Air Task Force, 2022).



Improving flow rates: Production flow for ‘traditional’ EGS, enhanced hydrothermal (HYS) and enhanced hot sedimentary aquifer (HSA) projects is improving. Recent projects’ production rates are approaching—and sometimes surpassing—markers and benchmark values for commercial viability. Fervo Energy’s (Fervo’s) Cape Station has reached 93-120 L/s in production testing, well above the often-cited commercial threshold of 80 L/s.



Deeper—and longer—wells: Average measured depth (MD) has increased to over 4 km for wells drilled in the past 5 years. Additionally, at least eight wells have been drilled by Fervo with up to mile-long (1.6 km) horizontal segments through crystalline basement rock. The drilling of horizontal wells has been a game changer for flow rates and recovery efficiency, allowing for greater surface area and enhanced heat transfer while resulting in substantially increased power per well.



Declining drilling costs: Fervo’s Cape Station wells have so far been drilled at a rate of \$4.6M/well, vs. the historical average of \$17M/well for all prior EGS wells (Akindipe & Witter, 2025; and this study). With less than 10% of planned wells drilled, Cape Station costs are already approaching scenario thresholds for maturing technology. Costs are expected to further decline as they did when shale gas exploration first utilized these techniques. In addition to cost reductions due to the learning curve in the field, efficiencies of scale become more pronounced over hundreds of wells per site.



Additional revenue streams: From multidimensional output products, most frequently including direct heat or lithium extraction, and particularly prevalent in European EGS projects.



A massive upsurge in Power Purchase Agreements and installed capacity: Contracts executed within the past 5 years will rely on over 610 MW_e, over ten times more capacity than all prior EGS projects’ installed capacity combined. This has been made possible by Fervo’s current projects, developing up to 500 MW_e each via hundreds of wells per project—compared to the prior standard project size of one well pair with a capacity of 5 MW_e or less.

Each of these advancements reflects steady technological and economic progress. Collectively, incremental gains and recent step-change improvements are transforming the industry, enabling current EGS developments to achieve technical success and commercial viability at an unprecedented scale. This momentum is not only bringing first-of-a-kind large-scale EGS commercialization within reach but also building a pipeline for future projects’ commercial success.



Photo credit: Calpine

Section II

EGS Overview

Geothermal energy projects require underground reservoirs with three key conditions: high subsurface heat, rock permeability, and fluid flow circulating through the system. In a hydrothermal development, these requirements exist naturally. Such ‘conventional’ geothermal projects have demonstrated themselves as clean and reliable sources of heat and power for over a century. As of 2024, geothermal plants accounted for a combined 16.9 GW_e of installed power generation capacity, predominantly in the western United States, Indonesia, Philippines, Türkiye, and New Zealand (Cariaga, 2025). Many geothermal plants have also provided direct heat for industrial, residential, or other uses. Hydrothermal plants can only be built in areas with the requisite underground reservoir conditions, constraining their development to less than 10% of the Earth’s surface (Duffield & Sass, 2003), largely along tectonic boundaries.

Under most of the rest of the Earth’s surface, there is abundant heat within reach, but inadequate permeability or fluid flow through the rock to transport thermal energy effectively. Enhanced Geothermal Systems (EGS) artificially create or enhance a geothermal reservoir to

levels that could support commercial energy extraction.

Specifically, EGS is typically defined by the application of hydraulic fracturing or other artificial stimulation methods such as thermal fracturing or electrical stimulation to create or expand conductive fractures and sustained fluid circulation (see Figure II.1). Through EGS, the promise of commercial-scale geothermal power can be developed in many areas previously unsuitable for geothermal development, vastly expanding its global reach and potential.

In practice, the dividing lines between hydrothermal, HSA, and EGS systems is not always clear (see Figure II.2). EGS reservoirs may be developed below or adjacent to known hydrothermal systems. Similarly, EGS-style stimulation techniques have also been successfully applied to numerous hydrothermal and HSA projects, resulting in improved injectivity and production rates, and often extending the operating life of hydrothermal reservoirs. For the purposes of this report, any project that created an EGS reservoir or that has applied EGS stimulation and techniques is included in the database and analysis.

Figure II.1: Components of EGS
(U.S. Dept of Energy (DOE), 2023)




Figure II.2: Blurred Lines Between Geothermal Project Categories
EGS (enhanced geothermal system), CRF (crystalline rock with dominant artificial fractures), CRN (crystalline rock with dominant natural fractures or faults). Adapted from (Bloomberg NEF, 2023 and this research).



Key benefits of EGS and geothermal energy include:

- Providing continuous **baseload/firm power**. Geothermal plants produce reliable power with one of the highest capacity factors of any conventional or renewable technology, often above 90% (IRENA, 2023a).
- Promoting **energy security and price predictability**. Geothermal operations are relatively immune from fuel supply shocks, insulating operators and consumers from price volatility and geopolitical trade risk.
- Many **oil, gas, power, and mining skillsets are transferable** (IEA, 2021). This facilitates workforce mobility, promotes cross-sector investment, and can invite a broader set of entities to see geothermal as an opportunity for expansion.
- One of the **smallest land-use** footprints per energy output (renewable or conventional)—second only to nuclear (Betanabhatla, 2023; U.S. Dept of Energy (DOE), 2019) and growing smaller as industry pursues higher temperature ultimately reducing the number of wells necessary.
- Providing **clean, sustainable power**, with one of the lowest lifecycle carbon emissions of any generation technology (U.S. Dept of Energy (DOE), 2019). Additionally, EGS binary power systems have lower total lifecycle greenhouse gas (GHG) emissions than any conventional source (Eberle et al., 2017; Nicholson & Heath, 2021). These benefits become particularly valuable in regions and markets with carbon credits, taxes, or other schemes.
- Increasingly, geothermal plants offer at least partial dispatchability. Plants such as Puna, Hawaii have power purchase agreements (PPAs) based on **operational flexibility** and offtaker demand. This load-balancing becomes all the more essential as grids are under pressure to manage increasingly intermittent generation (U.S. Dept of Energy (DOE), 2019).
- While hydrothermal plants are geographically-limited, EGS can be installed in a **broader range** of settings, potentially closer to demand centers (Aljubran & Horne, 2024).
- Sustainability incentives: EGS projects can incorporate treated **wastewater** or potentially **CO₂** (Sowiżdżał et al., 2022) as a circulating fluid. This offers greater sustainability and could qualify those EGS projects for carbon capture and storage (CCS) credits and related financial incentives.



Photo credit: Ormat Technologies

Section III


Results and Current Status

Since its origins in the 1970s, over 100 EGS projects have been launched worldwide (see Figure III.1). These range from early-stage research projects on stimulation methods to

more recent commercial projects providing power and/or direct heat. They include projects deemed successes, failures, and many with mixed results.

Figure III.1: EGS Projects by Operational Year and Continent

For projects that didn't reach an operational phase (or didn't report an operational date), start of development year is used (this study from multiple sources)



Of the 103 projects examined in this study, over half are traditional EGS efforts with crystalline rock basement reservoirs, approximately one-quarter are enhanced [hydrothermal efforts \(HYS\)](#), and the remainder are enhanced hot sedimentary aquifers (HSA) (see Table III.1). The crystalline rock EGS systems are further

subcategorized as either crystalline rock with dominant artificial fractures (CRF) or those with dominant natural fractures or faults (CRN). Through Q1 2025, EGS projects have taken place in 23 countries, with most located in Europe (>40%) or the Americas (32%).

Table III.1: EGS Projects by Dominant Reservoir Type and Region
Through Q1 2025 (this study from multiple sources)

	Dominant Reservoir Type				
	Traditional EGS		Enhanced Hydrothermal (HYS)	Enhanced Hot Sedimentary Aquifer (HSA)	Unspecified
Region	Crystalline Rock - Artificially Fractured (CRF)	Crystalline Rock - Natural Fracture/Fault (CRN)			
Americas	9	6	8	1	9
Asia	3	5	6	1	
Europe	15	6	10	8	3
Oceania	4	3		4	2
Percent of projects	35%	22%	27%	16%	16%

Analysis of the amassed project- and well-level datasets highlight the results of both incremental and step-change improvements along with a number of key metrics commonly

associated with commercial viability. The following subsections delve into each of the observed trends.

A. Faster drilling (ROP)


Recent EGS projects are achieving substantially faster drilling times than the average even five years ago. Fervo's Cape Station and Project Red commercial wells have reached an average ROP of up to 8.4 m/hr (27.6 ft/hr). In research wells, an impressive 31 m/hr (102 ft/hr) has been attained at Utah FORGE (Akindipe & Witter, 2025). These gains are particularly notable given the typical depth ($\geq 4,000$ m) and crystalline, granitic basement lithology of most EGS wells.

To evaluate this progress against established benchmarks, Sandia National Labs' Well Cost Simplified (WCS) model offers scenarios and

assumptions for various levels of technical maturity (Lowry, Finger, et al., 2017). The model uses ROP assumptions of 7.62 m/hr (25 ft/hr) for Intermediate 1 Scenario, 15.24 m/hr (50 ft/hr) for Intermediate 2 Scenario, and 30.48 m/hr (100 ft/hr) for the Ideal Scenario. The Ideal Scenario—identified as the highest foreseeable potential—is also associated with the Technical Improvement Scenario in the DOE GeoVision report—where technical advancements have reached a level that permits geothermal (mostly EGS) to rapidly expand and supply over 8% of the U.S. electrical demand by 2050 (U.S. Dept of Energy (DOE), 2019).

Figure III.2: Average well ROP by Drilling Year

Benchmark (well cost simplified threshold) of 9.4 m/hr. from (Lowry, Finger, et al., 2017), only surpassed to date by Utah FORGE experimental wells and Fervo Energy's Sugarloaf appraisal well, which was a maximum average ROP (this study based on multiple sources)



To date, only Utah FORGE has reached the Ideal Scenario ROP. However, Lowry et al. (2017) also flag an ideal average *daily* penetration rate of 226 m/day (9.4 m/hr) down to 4,000 m—a depth that current wells are regularly reaching and Fervo Energy recently achieved a *maximum* average ROP of 29 m/hr at their Sugarloaf appraisal well (Fervo Energy, 2025). Compared to these scenario assumptions, recent commercial projects have passed the Intermediate 1 drilling rate marker and are approaching the daily ideal technical marker, while several research wells' extraordinary ROP offers hope of further progress.

This study focuses on ROP because it is a widely-reported key component of drilling cost. ROP, however, is hardly the *only* component of drilling and rig time. Drilling rig costs—assumed between \$28,500-\$38,400/day in the WCS

model (Lowry et al., 2017)—are also impacted by tripping (roundtrip non-drilling time to bring the drill bit to the surface and back to the bottom), bit rates (bit life in hours or days before replacement), mobilization, trouble time, casing and bottom hole assembly materials, and other cost factors. Time-dependent costs (particularly those associated with ROP) have the highest impact on drilling cost reduction (Lowry et al., 2017).

It's also worth highlighting that average ROP per well masks individual advances by rock type and bit types. Recent polycrystalline diamond compact (PDC)-drilled segments at Utah FORGE have reached up to an astonishing 276 ft/hr (84.12 m/hr)—more than 2 ½ faster than the Ideal Scenario assumptions (Akindipe & Witter, 2025).


B. Higher production temperatures

EGS production and bottom-hole temperatures have trended upwards over the past five decades. Projects started prior to 2000 averaged 101 °C, as compared to an average of 153 °C for projects after the turn of the century. The overall trajectory is approaching

commercial benchmarks of 190-200°C¹ (see Figure III.3). These gains reflect advances in technology and materials that are more tolerant to heat and the associated complexities in fluid chemistry. The trend of production flow rates over time for

Figure III.3: Production Temperature by Project Year (multiple sources)

Notes: 1) When production temp not available, bottom hole temperature was included. 2) Threshold of 200 °C is a benchmark for commercial power production (The Future of Geothermal Energy, 2006). 3) For additional data on SHR projects, see [CATF's SHR map and fact sheets](#).



C. Higher flow rates

EGS projects continues to rise, although few operational projects have exceeded the widely-cited 80 L/s commercial benchmark.² Notably, Cape Station—currently under development—has reported promising flow rates ranging from 93-120 L/s during testing (J. H. Norbeck et al., 2024). This is particularly significant given its ambitious planned capacity of up to 500 MW_e.


(Businesswire, 2025; Fercho et al., 2025) (see Figure III.4). CATF's [SHR Preliminary Techno-Economic Model](#) further emphasizes that achieving and sustaining high flow rates is a critical determinant of project-level economics, with substantial implications for [Levelized Cost of Electricity \(LCOE\)](#). Stimulation has also enhanced flow at many

1 190 °C: Economically Viable benchmark in (Lowry et al., 2017); 200°C: a benchmark for high-grade EGS (The Future of Geothermal Energy, 2006) and a benchmark from the GeoVision report (U.S. Dept of Energy (DOE), 2019).

2 40 L/s for the Midterm Scenario, 80 L/s for the Commercially Mature Scenario (The Future of Geothermal Energy, 2006).

Figure III.4: Production Flow Rates by Project Operation Year (when available)


Notes: 1) Cape Station and Haute Sorne—both currently in development—based on test or expected rates. 2) Flow rate benchmark of 80 L/s from Commercially Mature Scenario in (*The Future of Geothermal Energy, 2006*) (this study from multiple sources).



existing hydrothermal and HSA projects. Production flow rates measured before and after hydraulic or other EGS stimulation programs showed improvement in 11 of 12 cases analyzed in this study (see Figure III.5).

Additionally, a 2023 study evaluating injectivity index changes from stimulation found at least 23 cases that led to enhanced injectivity index (Luo et al., 2023). The average measured depth (MD) per EGS well

Figure III.5: Production Flow Rates for 12 Enhanced Hydrothermal and Enhanced HSA Wells (multiple sources)



D. Deeper and longer wells


has more than doubled since the early projects in the 1970s and early 1980s (see Figure III.6). Recent projects—including Fervo’s Project Red and Cape Station—are drilling extensive ~mile-long horizontal segments through granitic basement rocks, enhancing heat transfer and surface area, and mirroring shale oil and gas drilling best practices. Fervo noted that it has attained higher power capacity density than expected ($9.1 \text{ MW}_e \text{ per km}^3$, at least partly due to their well drilling techniques and hotter than anticipated reservoir temperatures (J. H. Norbeck et al., 2024).

Geo-Energie Jura’s Haute Sorne in Switzerland

and E2E’s Rainbow Lake in Canada are expected to mimic this technique (DESTRESS, 2017a; E2E Energy Solutions, 2023). Cheaper, faster drilling processes will allow for deeper, longer wells. This trend towards deeper drilling may ultimately split by output type: direct heat projects do not generally need to drill as hot (or deep) as power-generation projects. Ultimately, technical improvements are

Figure III.6: Measured Depth (MD) for EGS and Enhanced HSA wells by Drilling/Recompletion Year (multiple sources)

Note: Labels added for wells >6,000 m MD



E. Lower drilling costs


translating into lower drilling costs. Recent wells have been drilled to depths of 4,000 m or more for as little as \$4.6M--approximately \$1,065/m (\$346.45/ft)—for drilling alone, excluding completion costs (Akindipe & Witter, 2025) (see Figure III.7). This is less than 20%

of historical drilling costs from such projects as Habanero and Fenton Hill. Of note, Cape Station wells are beginning to approach the Ideal Scenario cost curves from (Lowry et al., 2017).

There are caveats to these data. While efforts

Figure III.7: Estimated and Reported Well Drilling Costs, against cost curves for 3 Scenarios, (adapted from Augustine et al., 2019; Lowry, Finger, et al., 2017)

Note: Prior drilling costs first standardized to 2024 in reported currency via CPI calculator, then converted to 2024USD via currency exchange calculators (this study from multiple sources)



were made to standardize costs to 2024USD, a more meticulous approach with a drilling index and accounting for externalities, differences in rock types, and other myriad of dependencies would likely be more precise (Lukawski et al., 2014, 2016). It is apparent—even with the streamlined method applied here—that recent Utah wells are being drilled at lower cost and that subsequent, scaled wells in the same lithology are clustering around these step-change reductions.

Additionally, while drilling represents one of the largest components of capital expenses, it is hardly the only one. Several additional current advancements that are likely to reduce costs include:

1. **Multi-well pads**, with eight or more wellheads drilled per pad, are likely to offer more predictability in lithology (leading to faster drilling and longer bit runs), less rig mobilization between proximal wells (lower rig time and costs), and more consolidated above-ground infrastructure (less material and time cost) (Horne et al., 2025).
2. **More efficient stimulation and connectivity processes**, such as zipper and multi-stage fracturing, improved packers, and temperature-responsive ‘smart’ tracers (J. H. Norbeck et al., 2024; J. W. Tester et al., 2021).

F. Coproduction opportunities

In addition to electricity, EGS projects have been diversifying revenue streams through multidimensional coproduction. This aids EGS’ path towards broad commercial viability, most commonly including sales of direct heat, lithium, and natural gas. Each mechanism—dependent on local conditions—may also broaden project appeal to investors and industry alike:

- **Direct Use (Thermal)**
 - Geothermal for heat (as a primary or secondary output) has been leveraged for over a century.
 - Geothermal parks, with multiple users at cascading temperatures have proven an effective way to monetize geothermal energy (such as Hellisheiði, Lardarello, and Soultz-sous-Forêts).
- **Mineral Cogeneration**
 - Lithium and other mined minerals from wells and brine (Wertich, Tiewsoh, & Tiess, 2018), (CHPM2030, 2019).
 - Several Upper Rhine Graben and Cornwall projects have significant lithium concentrations in their brine. Up to 80% of revenue has been estimated to come from lithium sales.
- **Carbon Sequestration**
 - CO₂ as a working fluid may help conductivity (Kumari & Ranjith, 2019)

and can qualify a project for carbon capture and storage (CCS) incentives if geologic data show that the CO₂ will remain stored underground.

- **Thermal Energy Storage**
 - An increasing number of new ventures are proposing solutions that offer short- and longer-term thermal storage (E2E Energy Solutions, 2023; Sage Geosystems, 2025; GreenFire Energy, 2020; Fervo Energy, 2023b).
 - This could raise the value of next-generation projects, particularly with rapid load-following to handle peaking and grid stabilization (Ricks et al., 2022).

As the value of lithium rises, some EGS projects have focused on establishing coproduction partnerships. Entities including Vulcan and EnBW have acquired or taken operational control of EGS facilities, overseeing lithium extraction and signaling strong commercial interest in mineral development (Cariaga, 2024b). At least seven EGS projects in Europe and Canada have reported lithium concentrations ranging from 162-220 mg/L (see Table III.2), with current or planned lithium extraction underway (Abesser et al., 2023; E2E Energy Solutions, 2023; Genter et al., 2023).

Table III.2: Current and planned lithium coproduction at EGS projects*Note: URG = Upper Rhine Graben*

Project, Region	Coproduction	Status	Source
Bruchsal, URG	162 mg/L Lithium concentration in brine; producing battery-grade lithium carbonate	Current commercial coproduction	(Cariaga, 2024b; A. Genter, personal communication, April 14, 2024)
Insheim, URG	168 mg/L Lithium concentration in brine	Current commercial coproduction	(A. Genter, personal communication, April 14, 2024; Vulcan Energy, 2024)
Landau, URG	180 mg/L Lithium concentration in brine	Current commercial coproduction	(Cariaga, 2023; A. Genter, personal communication, April 14, 2024)
Rainbow Lake, Canada	Proposed project, lithium coproduction expected	Planned	(E2E Energy Solutions, 2023)
Rittershoffen, URG	190 mg/L Lithium concentration in brine; 1800-2000 tonnes of Li production/year possible	Planned	(A. Genter, personal communication, April 14, 2024)
Soultz-sous-Forêts, URG	173 mg/L Lithium concentration in brine; Lithium carbonate extraction since 2021	Current commercial coproduction	(A. Genter, personal communication, April 14, 2024)
United Downs, UK	“Very high” lithium concentration; planned extraction of 220 mg/L	Planned	(Abesser et al., 2023)


G. Growth in Purchase Agreements (PPAs and HPAs)

One of the most significant measures of EGS commercial maturity is the growth in number and volume of power purchase agreements (PPAs) and heat purchase agreements (HPAs). Impressive growth has occurred in recent years as offtakers have contracted for hundreds of megawatts (over two orders of magnitude larger than prior agreements), reflecting increased offtaker confidence in EGS technologies and longevity (see Table III.3).

PPAs in the U.S. include Fervo’s Project Red (currently online, with 3.5 MW_e to Google), Cape Station (in development, at least 490 MW_e in PPAs), and Corsac Station (planned, with 115 MW_e in executed PPAs) (see Figure III.8). This total of 610.5 MW_e in EGS PPAs signed since 2022 represents over ten times the installed capacity of all prior EGS projects combined.

Figure III.8: Announced Geothermal PPAs by Type and Year Signed/Revised

Notes: Data through Q1 2025, 2) Limited data for Conventional PPAs for 2024 and 2025. Adapted from (Bloomberg NEF, 2023) and this study



In Europe, projects with commercial output include Soultz (online since 2016, delivering 1.7 MW_e to the grid), Rittershoffen (with 24 MW_t of heat to a nearby bio-refinery since 2016),

Insheim (a Feed-in Tariff (FiT) of €250/MWh for 4.8 MW_e), and United Downs (expected online H2 2025, with 3 MW_e to Ecotricity).

Table III.3: Publicly-announced PPAs, HPAs, FITs, and Related Contractual Agreements for EGS projects, through Q1 2025 (this study from multiple sources)

Notes: URG = Upper Rhine Graben, FiT = Feed-in Tariff

Operator	Plant	Offtaker	Location	Power (MW _e)	Thermal (MW _t)	Signed	Start	Terms/Details	Source
ES	Soultz	EDF	URG	1.7	–	–	2016	FiT: €246/MWh for 15 years	Genter, 2021
ES	Rittershoffen	Roquette Frères biorefinery	URG	–	24	2016	2016	Heat Purchase Agreement (HPW)	Roquette, 2016
Vulcan Energy	Insheim	–	URG	4.8	–	–	–	FiT: €250/MWh	Richter, 2019
GEL	United Downs	Ecotricity	UK	3	–	2021	2025	PPA	Richter, 2021
GEL	United Downs	Cornish Geothermal Distillery Company (CGDC)	UK	–	–	2021	2025	Heat Purchase Agreement (HPA)	Richter, 2021
Fervo	Cape Station	9 California community choice aggregators	U.S.	53	–	2022	Q2 2026	PPA, 15 years	Businesswire, 2022, Richter, 2025
Fervo	Corsac Station	AVA/ East Bay Community Energy (EBCE)	U.S.	40	–	2022	Q2 2030	PPA, 15 years	Ava Energy, 2024
EGL	Eden Geothermal	Eden Biome Project	UK	–	1.4-4	–	2023	–	Eden Project, 2023
Fervo	Project Red	Google – data center	U.S.	3.5	–	2023	2023	–	Businesswire, 2024
Fervo	Cape Station	SoCal Edison	U.S.	70	–	2024	2026	PPA, 15 years	Businesswire, 2024
Fervo	Cape Station	SoCal Edison	U.S.	250	–	2024	2028	PPA, 15 years	Businesswire, 2024
Fervo	Corsac Station	Sierra Pacific (NV Power)	U.S.	115	–	2024	2030	PPA, 15 years	NV Energy, 2024
Fervo	Cape Station	Clean Power Alliance	U.S.	48	–	2025	Q2 2028	PPA, 15 years	Clean Power Alliance, 2025
Fervo	Cape Station	Shell Energy	U.S.	31	–	2025	2026	PPA, 15 years	Richter, 2025



Photo credit: Fervo Energy

Section IV

Additional Keys to Unlock Full Potential

While recent progress has clearly been made along numerous technical and economic measures, additional support is needed in several key areas to speed the growth of EGS and unlock its full potential. These include:

Policy and Regulatory Support: Stable and supportive policy are essential to promoting geothermal as a secure, baseload, reliable, and long-term resource. Frameworks that recognize EGS' additional contributions to thermal energy, storage, lithium, and related coproduction stand to benefit even further from geothermal research and investment.

Commercial Investment: As EGS projects scale to commercially-competitive levels of production, developments will require billions of dollars in public and private investment (US Dept of Energy (DOE), 2024). The foundation of this will be a recognition of geothermal's unique investment profile: often higher upfront costs, and extended development and payback timeframes—but with lower operating costs

and highly stable returns—compared to other baseload or conventional technologies.

Research Investment: Technology and techniques must be further tested and refined under experimental and demonstration conditions to leverage hotter temperatures and continue to optimize production levels and development costs. Additionally, the breakthrough potential from Superhot Rock (with supercritical reservoirs over 375 °C) offers exponentially more energy density, maximizing the output per well (see CATF's [Superhot Rock Energy: A Vision for Firm, Global Zero-Carbon Energy](#) report). Cracking this code would further transform the industry and is worthy of further research investment into suitable materials and advanced EGS engineering.

Longevity and Reservoir Decline

Management: Early results from current projects are indeed promising (J. H. Norbeck et al., 2024), however, sustained operational performance remains untested under these

breakthrough conditions. Long-term strategies for managing thermal drawdown, pressure losses, and geofluid chemistry risks remain to be proven at scale over the 15-30+ year lifetime of a typical project.

Full recognition of EGS' unique value: As noted, EGS offers premium value as a price-inelastic, firm, sustainable source of power. As such, it can command a higher price, compared to lowest cost—intermittent—providers. Recent PPAs appear to show that some current EGS projects have committed to 15-year contracts below \$110/MWh (NV Energy, 2024). This price is enough to be competitive in some markets, but is still above the average commercial maturity benchmark of \$80/MWh (The Future of Geothermal Energy, 2006). The convergence of continued cost reductions from the top, with the recognition of EGS' added value from the bottom—beyond simplified LCOE metrics—are likely to make future EGS investments increasingly attractive.

Managing Seismicity: More recent seismicity monitoring and “traffic light” procedures have

mitigated induced seismicity for most projects. Managing induced seismicity must remain a key priority, including both technoeconomic and social acceptance strategies.

Geographic Expansion: To demonstrate EGS' ability to scale globally, larger projects at scale should be developed in a broader range of geographies, lithologies, and market conditions.

Improving Data Transparency and Standardization: Limited and non-standardized data reporting complicates cross-project analysis, slows innovation, and hinders public and private investment. Publicly-available data is particularly limited for financial metrics, water usage (C.E. Clark et al., 2013; Soltani et al., 2021), well injectivity indexes (Riffault et al., 2018), and operational performance. In terms of standardization, several notable reports have called for nomenclatures that better address differentiations and improve comparative analysis including Breede et al. (2015) and Pollack et al. (2021). It is hoped that this study will contribute to this effort.



Photo credit: Geodynamics

Section V

Conclusion

Enhanced Geothermal Systems (EGS) appear to be at a pivotal point towards scalability and broader commercialization. Analysis of public project data from the past 50+ years confirms that significant advances—both gradual and step-change—can be seen along all technical and economic metrics examined in this study. These advancements have enabled an increasing number of projects to deliver commercial power and direct heat (see Figure V.1). Additionally, recent commercial project development—based on breakthroughs in

drilling, stimulation, and development at an unprecedented scale are showing signs of wider commercialization in competitive markets and regions. A remaining breakthrough will be the exponential growth in energy density made possible by future Superhot Rock EGS projects, which can harness supercritical reservoirs exceeding 375°C. These systems have the potential to generate 20-50 MW_e per well (Cladouhos & Callahan, 2024; Clean Air Task Force, 2022).

All tracked projects categorized by primary purpose, regardless of level of completion as of Q1 2025. Notes: Field Research – Early-stage exploration and validation in natural settings; Pilot Demo – Small-scale system to test technical feasibility; Commercial Demo – Larger system operating in real-world conditions, often with risk-mitigating support; Full Scale Deployment – Market-competitive and fully integrated into the commercial landscape (Lipton, 2024 and this study from multiple sources).

commitments approaching 500 MW_e. These contracts are enabling modern projects to achieve commercial viability at a price that recognizes the added value of EGS over conventional or intermittent renewable power. As these projects demonstrate sustained, long-term operational success, they will establish the foundation for expanded investment, research, and fuel further deployments.

Projects that have achieved contractually-delivered commercial output to date have several commonalities. Based on advancements and recent project successes and strategies, the following near-term commercial pathways are apparent:

- A. Enabling future industry and markets dependent upon abundant, baseload affordable power** such as coupling data centers with next generation geothermal. Google, for example, has committed to at least 115 MW_e long-term contracts from two or more Fervo EGS projects for their data centers (GeoEnergy & Cariaga, 2024a).
- B. Developing large-scale projects (tens to hundreds of megawatts)** to unlock

economies of scale and attract major power purchase agreements. Scaling up projects significantly reduces costs and makes geothermal more attractive to large offtakers. Currently, Fervo is the only developer operating at this scale.

- C. Supplying entities that have mandates for sourcing clean power**, such as community aggregators in California and offtakers in the European Union.
- D. Producing or co-producing district or industrial heating**, particularly in Europe where pre-existing infrastructure and supportive policy is often already in place.
- E. When lithium or similar coproduction is in place**, allowing for more diversified investment and expanded revenue streams.

Updating this comparative analysis over the coming decade will offer valuable insights into the rate and reach of continuous refinements, as EGS scales up and expands globally. The outlook for EGS is promising—advancing from yesterday’s demonstration technology to a keystone contributor of commercial, sustainable, and secure firm power, efficient heat, and critical mineral coproduction.

Section VI

Key References Per Project

Project	References
Altheim	(Breede et al., 2013, 2015; Christi et al., 2025; Evans et al., 2012; Jiang et al., 2023; Kamila et al., 2021; J. Lund & Chiasson, 2007; MND, 2014; Pemecker, 1999; Pollack et al., 2021)
Baca	(Entingh, 2000; Morris & Bunyak, 1981; Pollack et al., 2021; Republic Geothermal, 1983, 1984)
BacMan I	(Alcalá, 2012; Buñing et al., 1995; Kamila et al., 2021; Pollack et al., 2021; Relativo-Fajardo et al., 1999; Rivera Diaz et al., 2016; Rosell & Ramos, 1998; TURBODEN, 2024)
BacMan II	(Alcalá, 2012; Flores-Armenta & Alcalá, 2012; Kamila et al., 2021; Luo et al., 2023; Malate et al., 1998; Pollack et al., 2021; Relativo-Fajardo et al., 1999; Rivera Diaz et al., 2016; Rosell & Ramos, 1998; TURBODEN, 2025)
Bad Urach	(Breede et al., 2013, 2015; Carlo Cariaga, 2022; Pollack et al., 2021; Rathnaweera et al., 2020; Schanz et al., 2003; Sigfússon & Uihlein, 2015a, 2015b; Tenzer, 2003, 2003; The Future of Geothermal Energy, 2006)
Bad Urach: Phase 2	(Carlo Cariaga, 2022, 2022; GEOTIS, 2022b; Richter, 2021, 2021; Sigfússon & Uihlein, 2015b)
Basel EGS	(Alt-Epping et al., 2013; Baujard, Hehn, et al., 2017; Boyet et al., 2023; Breede et al., 2013, 2015; Evans et al., 2012; Grünthal, 2014; Häring et al., 2008; Kang et al., 2022; Liu et al., 2024; Sowizdzał et al., 2022; The Future of Geothermal Energy, 2006)
Beowave	(ARENA, 2014a; C.E. Clark et al., 2013; Christi et al., 2025; Entingh, 2000; Kamila et al., 2021; Luo et al., 2023; Morris et al., 1984; Pollack et al., 2021; Portier et al., 2009; Republic Geothermal, 1984; Rivera Diaz et al., 2016)
Berlín	(Breede et al., 2013, 2015; Jiang et al., 2023; Kamila et al., 2021; Kang et al., 2022; Kumari & Ranjith, 2019; Luo et al., 2023; Majer et al., 2007; Pollack et al., 2021; Rivera Diaz et al., 2016)
Birdsville	(Richter, 2009b; Rivera Diaz et al., 2016)
Bouillante	(Boissavy et al., 2021; Breede et al., 2013; Jiang et al., 2023; Kamila et al., 2021; Pollack et al., 2021; Sanjuan, B et al., 2000)
Bradys Hot Springs	(Akerley et al., 2021; BLM, 2013; Breede et al., 2013; DOE, 2023; Drakos & Akerley, 2017; Kamila et al., 2021; J. H. Norbeck & Latimer, 2023; Pollack et al., 2021; Rivera Diaz et al., 2016; Wertich, Tiewsoh, & Tiess, 2018; Ziagos et al., 2013)
Bruchsal	(ARENA, 2014a; Breede et al., 2013, 2015; EnBW, 2025; Evans et al., 2012; A. Genter, personal communication, April 14, 2024; GEOTIS, 2022b; Jiang et al., 2023; Kang et al., 2022; Sigfússon & Uihlein, 2015b, 2015a)
Cape Station	(Akindipe & Witter, 2025; Bureau of Land Management (BLM), 2024; Businesswire, 2022, 2025, 2025; Capestation.com, 2024; Clean Power Alliance, 2025; El-Sadi et al., 2024; Fercho et al., 2025; Fervo Energy, 2023a, 2024; Hao, 2024; McConville, 2023; J. H. Norbeck et al., 2024)
Chevron New Energies EGS	(Energy.gov, 2024; Hao, 2024; Sonoma Clean Power, 2024)
Clear Lake	(Capuano et al., 2008; Jager, 1996; Rivera Diaz et al., 2016; The Future of Geothermal Energy, 2006)
Cooper Basin/ Habanero Geothermal Project (HGP) II	(ARENA, 2016; Breede et al., 2013; GEODYNAMICS, 2016; GeoEnergy & Richter, 2015; B. A. Goldstein et al., 2009; Hogarth & Holl, 2017; Lowry, Foris, et al., 2017; Mattson & Blankenship, 2018)

Project	References
Cooper Basin/ Habanero Pilot Plant (HPP) I	(ARENA, 2014a, 2016; Augustine et al., 2006; Bendall et al., 2014; Breede et al., 2013, 2015; Budd, 2013; GeoEnergy & Richter, 2010, 2015; B. A. Goldstein et al., 2009; B. Goldstein & Bendall, 2010; Hogarth & Holl, 2017; Kong et al., 2021; Liu et al., 2024; Pollack et al., 2021; Richter, 2013b; Sowiżdżał et al., 2022; The Future of Geothermal Energy, 2006; Wertich, Tiewsoh, & Tiess, 2018; Zang et al., 2014; Ziagos et al., 2013)
Corsac Station	(Ava Community Energy, 2024; Hall et al., 2022; NV Energy, 2024; Penrod, 2024)
Coso (FORGE)	(Akindipe et al., 2023; Breede et al., 2013, 2015; EERE, 2002; GTO, 2020; Horne et al., 2025; Kamila et al., 2021; Kang et al., 2022; Pollack et al., 2021; Portier et al., 2009; Rose et al., 2006; The Future of Geothermal Energy, 2006)
CUBO	(Beckers et al., 2024; Cornell University, 2021, 2022; Fulton et al., 2024; J. Tester et al., 2023; K. M. Zhang et al., 2015)
Desert Peak	(Akerley et al., 2021; Benato et al., 2016; Breede et al., 2013; Chabora & Zemach, 2013; DOE, 2023; EGS Energy Ltd., 2016; Horne et al., 2025; Kamila et al., 2021; Kang et al., 2022; Richter, 2013a; Sanyal, 2009; The Future of Geothermal Energy, 2006; Wertich, Tiewsoh, & Tiess, 2018; Ziagos et al., 2013)
East Mesa	(Entingh, 2000; Pollack et al., 2021; Republic Geothermal, 1984; Republic Geothermal et al., 1981)
Eden Geothermal	(Abesser et al., 2023; Breede et al., 2015; Cossins-Smith, 2023; Eden Geothermal, 2019, 2021, 2025; Pollack et al., 2021; Wertich, Tiewsoh, & Tiess, 2018)
Falkenberg	(Breede et al., 2013, 2015; Kang et al., 2022; Kappelmeyer & Jung, R, 1987; Pollack et al., 2021; Rummel & Kappelmeyer, 1983; Stafford, 2010; Tenzer, 2003; The Future of Geothermal Energy, 2006)
Fenton Hill I	(Breede et al., 2013, 2015; Jung, 2013; Kumari & Ranjith, 2019; Laughlin et al., 1983; Mattson & Blankenship, 2018; Murphy et al., 1982; J. H. Norbeck et al., 2018; Pollack et al., 2021; Sowiżdżał et al., 2022; Stafford, 2010; The Future of Geothermal Energy, 2006; Ziagos et al., 2013)
Fenton Hill II	(Breede et al., 2013; Jung, 2013; Kelkar et al., 2016; Laughlin et al., 1983; Murphy et al., 1982; J. H. Norbeck et al., 2018; Pollack et al., 2021; Sowiżdżał et al., 2022, 2022; The Future of Geothermal Energy, 2006; Ziagos et al., 2013)
Fjällbacka	(Breede et al., 2013, 2015; Eliasson et al., 1987; Jiang et al., 2023; Kang et al., 2022; Pollack et al., 2021; Rummel & Kappelmeyer, 1983; Stafford, 2010; The Future of Geothermal Energy, 2006; Wallroth et al., 1999)
Frome	(Breede et al., 2015; Energy News Bulletin, 2007; Geothermal Resources Limited, 2009; B. A. Goldstein et al., 2009; Huddleston-Holmes, 2014; Long et al., 2010; Richter, 2009a)
Geelong Geothermal PP	(GeoEnergy & Richter, 2009b, 2011, 2013; Giles Parkinson, 2017; B. A. Goldstein et al., 2009; B. Goldstein & Bendall, 2010; Huddleston-Holmes, 2014)
GeneSys Hannover	(Breede et al., 2013, 2015; Genesys Hannover, n.d.; GEOTIS, 2022b; Kang et al., 2022; Kong et al., 2021; Liu et al., 2024; Pollack et al., 2021; Sigfússon & Uihlein, 2015b)
GeneSys Hortsberg	(Breede et al., 2013, 2015; Evans et al., 2012; GEOTIS, 2022b; Jung et al., 2005; Sigfússon & Uihlein, 2015b; The Future of Geothermal Energy, 2006)
Geysers/Unocal	(Entingh, 2000; Mumma, 1982, 1982; Pollack et al., 2021; Rivera Diaz et al., 2016)
Gonghe EGS	(Jiang et al., 2023; Kong et al., 2021; Liu et al., 2024; Wei et al., 2023; Yin et al., 2024; E. Zhang et al., 2022, 2024)
Göttingen	(Hérissou, 2021; MEET-H2020, 2019; Romanov & Leiss, 2021)
Groß Schönebeck	(Blöcher et al., 2016; Breede et al., 2013, 2015; Christi et al., 2025; Ernst Huenges, personal communication, June 19, 2024; Evans et al., 2012; Henniges et al., 2015; Interreg, 2024; Kang et al., 2022; Luo et al., 2023; Mattson & Blankenship, 2018; Patel, 2023; Sowiżdżał et al., 2022)
Haute Sorne	(Cariaga, 2024a; Castilla et al., 2024; DESTRESS, 2017a; Geo-Energie Jura, n.d., 2024; Geo-Energie Suisse, 2023; GeoEnergy & Cariaga, 2024b; Khodayar & Björnsson, 2024; Renewable Energy Magazine, 2022)

Project	References
Hellisheiði	(Bjornsson, 2004; Kamila et al., 2021; Luo et al., 2023; Pollack et al., 2021; Rivera Diaz et al., 2016)
Higashi-Hachimantai	(International Workshop on Hot Dry Rock. Creation and Evaluation of Geothermal Reservoirs, 1988, pp. 91–107; Niitsuma, 1989; Stafford, 2010)
Hijiori	(Breede et al., 2013, 2015; Kaieda, 2021; Pollack et al., 2021; Sasaki, 1998; Sowizdżał et al., 2022; Stafford, 2010; The Future of Geothermal Energy, 2006; Ziagos et al., 2013)
Hunter Valley	(Breede et al., 2015; Huddleston-Holmes, 2014; Kang et al., 2022; Kitsou et al., 2000; Richter, 2013b; Sigfússon & Uihlein, 2015b; Sowizdżał et al., 2022; Stafford, 2010; The Future of Geothermal Energy, 2006)
Illkirch-Graffenstaden	(Boissavy et al., 2021; Glaas et al., 2021; Maurer et al., 2021)
Innamincka Shallows	(ARENA, 2016; B. Goldstein & Bendall, 2010; McLaughlin, 2011; Richter, 2011, 2013c)
Insheim	(ARENA, 2014a; Baujard, Hehn, et al., 2017; BESTEC GmbH, 2018a; Breede et al., 2013, 2015; Cariaga, 2024b; Jiang et al., 2023; Kang et al., 2022; Liu et al., 2024; Maurer et al., 2021; Pollack et al., 2021)
Kit Station	(Hall et al., 2022)
Klaipėda	(DESTRESS, 2017b; Guinot & Marnat, 2021; Petrauskas et al., 2018; Pollack et al., 2021)
Krafla	(Axelsson et al., 2006; Eggertsson et al., 2020; Kamila et al., 2021; Pollack et al., 2021)
Landau	(ARENA, 2014b; Baumgärtner et al., 2013; BESTEC GmbH, 2018b; Breede et al., 2013, 2015; EGS Energy Ltd., 2016; A. Genter, personal communication, April 14, 2024; Kamila et al., 2021; Kang et al., 2022; Liu et al., 2024; Maurer et al., 2021; Pollack et al., 2021; Rivera Diaz et al., 2016; Schindler et al., 2010; Sigfússon & Uihlein, 2015b; Vidal & Genter, 2018)
Lardarello	(Breede et al., 2013, 2015; Kamila et al., 2021; Pollack et al., 2021)
Latitude 53 Hinton	(E2E Energy Solutions, 2025; GeoEnergy & Cariaga, 2022a; Novus Earth, 2022)
Le Mayet de Montagne	(Breede et al., 2013, 2015; F. Cornet, 1987; F. H. Cornet, 2021; Sigfússon & Uihlein, 2015b; Stafford, 2010; The Future of Geothermal Energy, 2006)
Leyte	(Alcalá, 2012; Apuada et al., 2005; Kamila et al., 2021; Malate et al., 1997; Pollack et al., 2021; Ygllopaz et al., 1998)
Litoměřice	(Breede et al., 2013, 2015; Fischer et al., 2023; Pollack et al., 2021; Šafanda et al., 2020; Tým, 2019)
Los Azufres	(Flores-Armenta & Alcalá, 2012; Kamila et al., 2021; Luo et al., 2023; Pollack et al., 2021; Tello-López et al., 2010; Torres-Rodríguez et al., 2005)
Los Humeros	(Alcalá, 2012; Flores-Armenta & Alcalá, 2012; Jolie et al., 2021; Peter-Borie et al., 2019; Rivera Diaz et al., 2016)
Los Humeros SHR	(Flores-Armenta & Alcalá, 2012; Jolie et al., 2021; Kamila et al., 2021; Kumari & Ranjith, 2019)
Manhay	(GeoEnergy & Cariaga, 2023a; Olver & Law, 2025)
Mauerstetten	(Breede et al., 2013, 2015; GeoEnergy & Richter, 2016a; GEOTIS, 2022b; Mattson & Blankenship, 2018; Mraz et al., 2018; Pollack et al., 2021; Sigfússon & Uihlein, 2015b; Wolfgramm et al., 2015)
Mezőberény	(Brehme et al., 2024; DESTRESS, n.d.)
Milford (FORGE)	(Brehme et al., 2024; GTO, 2020; Jiang et al., 2023)
Mindanao	(Malate et al., 2000; Pollack et al., 2021; Trazona et al., 2002)
Mosfellsveit	(Pollack et al., 2021)
Nagoorin	(Granite Power, 2009; Stafford, 2010)
Naknek	(C.E. Clark et al., 2013; Jennejohn, 2010; Loy, 2016; Stafford, 2010)

Project	References
Neustadt-Glewe	(ARENA, 2014a, 2014b; Breede et al., 2013, 2015; Erdwärme Neustadt-Glewe, 2025; Evans et al., 2012; GEOTIS, 2022b; Jia et al., 2022; Jiang et al., 2023; Kang et al., 2022; J. Lund & Chiasson, 2007; Rivera Diaz et al., 2016; Seibt et al., 2005)
New York Canyon	(Jennejohn, 2010; Pollack et al., 2021; Raemy, 2012; US Dept of Energy (DOE), 2010)
Newberry/Altarock (FORGE)	(AltaRock Energy, Inc, n.d.; Breede et al., 2015; Cladouhos et al., 2016, 2018; Data.gov, 2012; Pollack et al., 2021; Sonnenthal et al., 2012; Stafford, 2010; Wertich, Tiewsoh, & Tiess, 2018; Ziagos et al., 2013)
Newberry/Mazama	(Energy.gov, 2024; Mazama Energy, 2025)
North Narracan	(Beardsmore et al., 2016; Granite Power, 2009; Stafford, 2010)
NW Geysers/Calpine	(Breede et al., 2013, 2015; DOE, 2023; Garcia et al., 2012; Hartline et al., 2019; IRENA, 2023; John Farison, 2019; Kang et al., 2022; Liu et al., 2024; J. H. Norbeck & Latimer, 2023; Sigfússon & Uihlein, 2015b; Stafford, 2010; Wertich, Tiewsoh, & Tiess, 2018; Ziagos et al., 2013)
Ogachi	(Breede et al., 2013, 2015; Kaieda, 2021; Kang et al., 2022; Pollack et al., 2021; Sigfússon & Uihlein, 2015b; Sowizdzał et al., 2022; Stafford, 2010; The Future of Geothermal Energy, 2006; Ziagos et al., 2013)
Olympic Dam	(Bendall et al., 2014; Breede et al., 2015; Earths Energy, 2025a; B. A. Goldstein et al., 2009; Green Rock Energy Ltd., 2008; Larking et al., 2010; Pesa News, 2007; Pollack et al., 2021; The Future of Geothermal Energy, 2006)
Parachilna	(Breede et al., 2015; Long et al., 2010; Stafford, 2010)
Paralana EGS	(Bendall et al., 2014; Breede et al., 2013, 2015; Earths Energy, 2025b; B. A. Goldstein et al., 2009; B. Goldstein & Bendall, 2010; Kang et al., 2022; Kong et al., 2021; Louise McAllister, 2010; Lowry, Foris, et al., 2017; Lu, 2017; McLaughlin, 2011; J. H. Norbeck & Latimer, 2023; Pollack et al., 2021; P. Reid & Messeiller, 2013; P. W. Reid et al., 2010; Riffault et al., 2018; Rojas, 2014; Wertich, Tiewsoh, & Tiess, 2018; Zang et al., 2014)5/19/25 1:13:00 PM
Penhallow	(alex.lomax, 2022; GeoEnergy & Cariaga, 2022b, 2022c; Olver & Law, 2025)
Penola (PANAX)	(Breede et al., 2015; de Graaf et al., 2009; B. A. Goldstein et al., 2009; B. Goldstein & Bendall, 2010; Huddleston-Holmes, 2014; McLaughlin, 2011)
Pohang EGS	(Breede et al., 2015; Deliverable D7.8: Final Report on DESTRESS Site Access Program, 2020; Diaz et al., 2018; Ellsworth et al., 2019; Grigoli et al., 2018; Jiang et al., 2023; Kang et al., 2022; Luo et al., 2023; Pollack et al., 2021; Sowizdzał et al., 2022; Wertich, Tiewsoh, & Tiess, 2018; Yu, 2022)
Poplar Dome	(Petty, 2006; The Future of Geothermal Energy, 2006)
Project Red	(Akindipe et al., 2023; Akindipe & Witter, 2025; El-Sadi et al., 2024; Fervo Energy, 2023b; Mark McClure, 2023; J. Norbeck et al., 2023; J. H. Norbeck et al., 2024; J. H. Norbeck & Latimer, 2023; Ormat, 2008)
Qiabuqia EGS	(Lei et al., 2019; Pollack et al., 2021; Yu, 2022; Zhai et al., 2023; E. Zhang et al., 2022; Zhang L. et al., 2025; Zhong et al., 2022)
Raft River EGS	(Bradford et al., 2015; CHPM2030, 2019; EERE Success Story—Geothermal Technology Breakthrough in Idaho, 2016; GeoEnergy & Richter, 2016b; IRENA, 2023; Jones et al., 2011; Kamila et al., 2021; Pollack et al., 2021; POWER Magazine, 2007; Republic Geothermal, 1984; Xing et al., 2024; Ziagos et al., 2013)
Rainbow Lake	(E2E Energy Solutions, 2023, 2025; GeoEnergy & Cariaga, 2022a, 2024c; Huang et al., 2020; Wertich, Tiewsoh, & Tiess, 2018)
Reykjanes	(Friðleifsson et al., 2020; Gunnarsson et al., 2024; Hofmann et al., 2021; Kamila et al., 2021; Pollack et al., 2021; Sigurdsson, 2021)
Rittershoffen	(Baujard, Genter, et al., 2017; Boissavy et al., 2021; A. Genter, personal communication, April 14, 2024; Genter et al., 2023; IRENA, 2023; Lacirignola, 2015; Maurer et al., 2021; Mouchot et al., 2019; Pollack et al., 2021; Ravier, 2020; Trullenque et al., 2018; Wertich, Tiewsoh, Tiess, et al., 2018)

Project	References
Rosemanowes	(Augustine et al., 2006; Breede et al., 2013, 2015; EGS Energy Ltd., 2016; Evans et al., 2012; Mattson & Blankenship, 2018; Olver & Law, 2025; Parker, 1999; Reinecker et al., 2021; Sowizdżał et al., 2022; Stafford, 2010; The Future of Geothermal Energy, 2006; Zang et al., 2014; Ziagos et al., 2013)
Salak	(GeoEnergy & Richter, 2020; Golla et al., 2020; Luo et al., 2023; Pasikki et al., 2010; Pollack et al., 2021; Rivera Diaz et al., 2016; Yoshioka et al., 2019)
Schneeberg (GIGS)	(GeoEnergy & Cariaga, 2023b; GeoEnergy & Richter, 2019; Pollack et al., 2021; Think GeoEnergy & Richter, 2019; Tiefe Geothermie, 2010; Wagner et al., 2015)
SDS Dikili EGS	(Hou et al., 2015; Mertoglu et al., 2021; Turan et al., 2021)
SE Geysers	(AltaRock Energy, Inc, 2013; Breede et al., 2013; Petty, 2014; Pollack et al., 2021; Rathnaweera et al., 2020; Rivera Diaz et al., 2016; Sigfússon & Uihlein, 2015b)
Seltjarnarnes	(Axelsson et al., 2006; Luo et al., 2023; Pollack et al., 2021; Tulinius et al., 1996)
Soda Lake	(Bakar & Zarrouk, 2018; Cyrq Energy, 2025; Echols et al., 2011; Kamila et al., 2021; Ohren et al., 2011; Pollack et al., 2021)
Soultz-sous-Forêts	(Baria et al., 2006; Baujard et al., 2021; BESTEC GmbH, 2018a; Boissavy et al., 2016, 2021; Breede et al., 2013; F. H. Cornet, 2021; ÉS Géothermie, 2025; A. Genter, personal communication, April 14, 2024; Genter, 2021; Genter et al., 2023; GeoEnergy & Richter, 2016c; Grünthal, 2014; Heidinger, 2010; IRENA, 2023; Jung, 2013; Kang et al., 2022; Luo et al., 2023; Maurer et al., 2021; Mouchot et al., 2019; Riffault et al., 2018; Schindler et al., 2010; Schmittbuhl et al., 2021; Sowizdżał et al., 2022; The Future of Geothermal Energy, 2006; Trullenque et al., 2018; Wertich, Tiewsoh, Tiess, et al., 2018; Zang et al., 2014; Ziagos et al., 2013)
South Hungarian EGS (SHEGSDP)	(Ádám & Cladouhos, 2016; Breede et al., 2015; GeoEnergy & Richter, 2012; Interreg EU, 2018; Nádor et al., 2019; Pollack et al., 2021; Rojas, 2014; Toth & Nádor, 2023)
Southampton	(Abesser et al., 2023; Breede et al., 2015; J. W. Lund & Toth, 2021)
St Gallen	(Breede et al., 2015; Hirschberg et al., 2014; Kang et al., 2022; Kumari & Ranjith, 2019; Liu et al., 2024; Mateeva, 2013; Pollack et al., 2021; Saar, 2019; Sigfússon & Uihlein, 2015b; Wolfgramm et al., 2015)
St Johns Dome	(Eastman & Muir, 2012)
ST1 Otaniemi	(Cardoe et al., 2021; Kang et al., 2022; I. Kukkonen & Pentti, 2021; I. T. Kukkonen et al., 2023; Pollack et al., 2021; ST1, 2020)
Sumikawa	(Christi et al., 2025; Kamila et al., 2021; Kitao et al., 1990; Kumari & Ranjith, 2019; Luo et al., 2023; Pollack et al., 2021)
Tiwi	(Christi et al., 2025; GeoEnergy & Richter, 2009a; Ontoy et al., 2003; Pollack et al., 2021)
United Downs	(Abesser et al., 2023; Breede et al., 2015; Engineering, 2023; Farndale & Law, 2022; GEL Energy, 2024; Ledingham et al., 2019; Ledingham & Cotton, 2020; Olver & Law, 2025; Reinecker et al., 2021; Thrive Renewables, n.d.; Triple Point Heat Networks, n.d.)
Unterhaching	(ARENA, 2014b; Breede et al., 2013, 2015; Evans et al., 2012; GeoEnergy, 2018, 2018; GEOTIS, 2022a; Kamila et al., 2021; Liu et al., 2024; Wolfgramm et al., 2007)
Vendenheim/Georhin	(Boissavy et al., 2021; DEEPEGS, 2020; Fiori et al., 2023; GEODEEP, 2020; Peter-Borie et al., 2019; Wertich, Tiewsoh, Tiess, et al., 2018)
Yakedake	(Kobayashi et al., 1982; Kuriyagawa, 1987; Tomita et al., 1988; Yamaguchi et al., 1984)

Section VII

Bibliography

- Abesser, C., Gonzalez Quiros, A., & Boddy, J. (2023). *Evidence report supporting the deep geothermal energy white paper: The case for deep geothermal energy - unlocking investment at scale in the UK* [Publication - Report]. British Geological Survey. https://www.northeastle.co.uk/wp-content/uploads/2023/11/NEL1435a-Geothermal-White-Paper-Report_v12.pdf
- Ádám, L., & Cladouhos, T. (2016). *Challenges of South Hungarian EGS Demonstration Project* (European Geothermal Congress 2016).
- Akerley, J. H., Robertson-Tait, A., Zemach, E., Spielman, P., & Drakos, P. (2021). *Near-Field EGS: A Review and Comparison of the EGS Demonstration Projects at Desert Peak and Bradys* (Proceedings World Geothermal Congress 2020+1).
- Akindipe, D., & Witter, E. (2025). 2025 Geothermal Drilling Cost Curves Update. *PROCEEDINGS, 50th Workshop on Geothermal Reservoir Engineering*. <https://pangea.stanford.edu/ERE/db/GeoConf/papers/SGW/2025/Akindipe.pdf>
- Akindipe, D., Witter, E., & Prilliman, M. (2023). Variability in Diurnal and Seasonal Ambient Conditions on Geothermal Plant Performance and Cost: Preprint. *National Renewable Energy Lab*. <https://docs.nrel.gov/docs/fy24osti/86995.pdf>
- Alcalá, L. M. (2012). *Acid stimulation of geothermal wells in Mexico, El Salvador and the Philippines*. 20. <https://scispace.com/pdf/acid-stimulation-of-geothermal-wells-in-mexico-el-salvador-455fpxo30m.pdf>
- alex.lomax. (2022, September 22). *Investing into the next phase in geothermal electricity production*. Thrive Renewables. <https://cms-admin.thriverenewables.co.uk/news/2022/09/investing-into-the-next-phase-in-geothermal-electricity-production/>
- Aljubran, M., & Horne, R. (2024). Techno-economics of Enhanced Geothermal Systems Across the United States Using Novel Temperature-at-Depth Maps. *PROCEEDINGS, 49th Workshop on Geothermal Reservoir Engineering*. <https://pangea.stanford.edu/ERE/db/GeoConf/papers/SGW/2024/Aljubran.pdf>
- AltaRock Energy, Inc. (n.d.). Newberry EGS Demonstration, Oregon. *AltaRock*. Retrieved September 6, 2024, from <https://altarockenergy.com/projects/newberry-egs-demonstration/>
- AltaRock Energy, Inc. (2013). *Final Report Engineered Geothermal System Demonstration Project Northern California Power Agency, The Geysers, CA*. <https://www.osti.gov/servlets/purl/1134470>
- Alt-Epping, P., Diamond, L. W., Häring, M. O., Ladner, F., & Meier, D. B. (2013). Prediction of water–rock interaction and porosity evolution in a granitoid-hosted enhanced geothermal system, using constraints from the 5km Basel-1 well. *Applied Geochemistry*, 38, 121–133. <https://doi.org/10.1016/j.apgeochem.2013.09.006>
- Apuada, N. A., Olivar, R. E. R., & Salonga, N. D. (2005). *Repeat Microgravity and Leveling Surveys at Leyte Geothermal Production Field, North Central Leyte, Philippines*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2005/apuada.pdf>

- ARENA. (2014a). *Commercial Readiness Index for Renewable Energy Sectors*. <https://arena.gov.au/assets/2014/02/Commercial-Readiness-Index.pdf>
- ARENA. (2014b). *Looking forward: Barriers, risks and rewards of the Australian Geothermal Sector to 2020 and 2030*. Australian Renewable Energy Agency. <https://arena.gov.au/assets/2014/07/ARENA-IGEG-main-report.pdf>
- ARENA. (2016, October). *Habanero Geothermal Project Field Development Plan*. Australian Renewable Energy Agency. <https://arena.gov.au/knowledge-bank/habanero-geothermal-project-field-development-plan/>
- Augustine, C., Ho, J., & Blair, N. (2019). *GeoVision Analysis Supporting Task Force Report: Electric Sector Potential to Penetration* (NREL/TP--6A20-71833, 1524768; p. NREL/TP--6A20-71833, 1524768). <https://doi.org/10.2172/1524768>
- Augustine, C., Tester, J. W., & Anderson, B. (2006). *A Comparison of Geothermal with Oil and Gas Well Drilling Costs* (PROCEEDINGS, Thirty-First Workshop on Geothermal Reservoir Engineering). Stanford University. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2006/augustin.pdf>
- Ava Community Energy. (2024, July 17). *Adopting a Resolution of the Board of Directors of Ava Community Energy Authority Authorizing the Chief Executive Officer to Negotiate and Execute an Amendment to the Power Purchase Agreement with Corsac Generating Station 1 LLC*.
- Axelsson, G., Thórhallsson, S., & Björnsson, G. (2006). *Stimulation of geothermal wells in basaltic rock in Iceland*.
- Bakar, H. A., & Zarrouk, S. J. (2018). Transient pressure analysis of geothermal wells fractured during well testing. *Geothermics*, 76, 26–37. <https://doi.org/10.1016/j.geothermics.2018.06.010>
- Bank of England. (2025). *Inflation calculator*. <https://www.bankofengland.co.uk/monetary-policy/inflation/inflation-calculator>
- Baria, R., Jung, R., Tischner, T., Nicholls, J., Michelet, S., Sanjuan, B., Soma, N., Asanuma, H., Dyer, B., & Garnish, J. (2006). *CREATION OF AN HDR RESERVOIR AT 5000 M DEPTH AT THE EUROPEAN HDR PROJECT*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2006/baria1.pdf>
- Baujard, C., Genter, A., Dalmais, E., Maurer, V., Hehn, R., Rosillette, R., Vidal, J., & Schmittbuhl, J. (2017). Hydrothermal characterization of wells GRT-1 and GRT-2 in Rittershoffen, France: Implications on the understanding of natural flow systems in the rhine graben. *Geothermics*, 65, 255–268. <https://doi.org/10.1016/j.geothermics.2016.11.001>
- Baujard, C., Hehn, R., Genter, A., Teza, D., Baumgartner, J., Guinot, F., Martin, A., & Steinlechner, S. (2017). *Rate of Penetration of Geothermal Wells: A Key Challenge in Hard Rocks*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2017/Baujard.pdf>
- Baujard, C., Rolin, P., Dalmais, É., Hehn, R., & Genter, A. (2021). Soultz-sous-Forêts Geothermal Reservoir: Structural Model Update and Thermo-Hydraulic Numerical Simulations Based on Three Years of Operation Data. *Geosciences*, 11(12), Article 12. <https://doi.org/10.3390/geosciences11120502>
- Baumgärtner, J., Teza, D., & Wahl, G. (2013). *Gewinnung geothermischer Energie durch Entwicklung und Zirkulation eines Störungssystems im Kristallin und deren mikroseismische Überwachung am Beispiel des Geothermieprojektes Insheim*. <https://edocs.tib.eu/files/e01fb14/777426781.pdf>
- Beardsmore, G., Dumitrescu, I., Harrison, B., Sandiford, M., & Webster, R. (2016). *Victorian Geothermal Assessment Report 2016*. <https://doi.org/10.13140/RG.2.2.28610.43200>

- Beckers, K., Hawkins, A., Erdinc, B., & Tester, J. (2024). EGS Reservoir Modeling for Developing Geothermal District Heating at Cornell University: Preprint. *Renewable Energy*. <https://docs.nrel.gov/docs/fy25osti/90305.pdf>
- Benato, S., Hickman, S., Davatzes, N. C., Taron, J., Spielman, P., Elsworth, D., Majer, E. L., & Boyle, K. (2016). Conceptual model and numerical analysis of the Desert Peak EGS project: Reservoir response to the shallow medium flow-rate hydraulic stimulation phase. *Geothermics*, 63, 139–156. <https://doi.org/10.1016/j.geothermics.2015.06.008>
- Bendall, B., Hogarth, R., Holl, H., McMahon, A., Larking, A., Reid, P., & Bendall, B. (2014). *Australian Experiences in EGS Permeability Enhancement – A Review of 3 Case Studies*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2014/Bendall.pdf>
- BESTEC GmbH. (2018a). *Insheim*. Insheim. <https://www.bestec-for-nature.com/index.php/en/projects-en/insheim-en>
- BESTEC GmbH. (2018b). *Landau*. Landau. <https://www.bestec-for-nature.com/index.php/en/projects-en/landau-en>
- Betanabhatla, V. (2023). *Beyond LCOE: What's the true value of geothermal energy?* SLB.COM. <https://www.slb.com/resource-library/insights-articles/beyond-lcoe-whats-the-true-value-of-geothermal-energy>
- Bjornsson, G. (2004). *Reservoir Conditions at 3-6 km Depth in the Hellisheidi Geothermal Field, SW-Iceland, Estimated by Deep Drilling, Cold Water Injection and Seismic Monitoring* (Workshop on Geothermal Reservoir Engineering).
- BLM. (2013, January 11). *Brady Hot Springs Well 15-12 Hydro-Stimulation Environmental Assessment*. https://eplanning.blm.gov/public_projects/nepa/34003/42112/44615/2013-1-11_Brady_Hydro-Stim_EA_FONSI.pdf
- Blöcher, G., Reinsch, T., Henniges, J., Milsch, H., Regenspurg, S., Kummerow, J., Francke, H., Kranz, S., Saadat, A., Zimmermann, G., & Huenges, E. (2016). Hydraulic history and current state of the deep geothermal reservoir Groß Schönebeck. *Geothermics*, 63, 27–43. <https://doi.org/10.1016/j.geothermics.2015.07.008>
- Bloomberg NEF. (2023, May 10). Next-Generation Geothermal Technologies Are Heating Up. *BloombergNEF*. <https://about.bnef.com/blog/next-generation-geothermal-technologies-are-heating-up/>
- Boissavy, C., Rocher, P., Laplaige, P., & Brange, C. (2016). *Geothermal Energy Use, Country Update for France*. <https://www.worldgeothermal.org/pdf/IGAstandard/EGC/2016//FRANCE%20country%20update%20EGC%202016.pdf>
- Boissavy, C., Schmidlé-Bloch, V., Pomart, A., & Lahlou, R. (2021). *France Country Update*. https://www.geothermies.fr/sites/default/files/inline-files/wgc%202020_afpg_01020.pdf
- Boyet, A., De Simone, S., Ge, S., & Vilarrasa, V. (2023). Poroelastic stress relaxation, slip stress transfer and friction weakening controlled post-injection seismicity at the Basel Enhanced Geothermal System. *Communications Earth & Environment*, 4(1), Article 1. <https://doi.org/10.1038/s43247-023-00764-y>
- Bradford, J., McLennan, J., Moore, J., Podgorney, R., & Tiwari, S. (2015). *Hydraulic and Thermal Stimulation Program at Raft River Idaho, A DOE EGS*. Vol. 39, 2015. <https://publications.mygeoenergynow.org/grc/1032159.pdf>

- Breede, K., Dzebisashvili, K., & Falcone, G. (2015). Overcoming challenges in the classification of deep geothermal potential. *Geothermal Energy Science*, 3(1), 19–39. <https://doi.org/10.5194/gtes-3-19-2015>
- Breede, K., Dzebisashvili, K., Liu, X., & Falcone, G. (2013). A systematic review of enhanced (or engineered) geothermal systems: Past, present and future. *Geothermal Energy*, 1(1), Article 1. <https://doi.org/10.1186/2195-9706-1-4>
- Brehme, M., Markó, Á., Osvald, M., Zimmermann, G., Weinzierl, W., Aldaz, S., Thiem, S., & Huenges, E. (2024). Demonstration of a successful soft chemical stimulation in a geothermal sandstone reservoir in Mezőberény (Hungary). *Geothermics*, 120, 102980. <https://doi.org/10.1016/j.geothermics.2024.102980>
- Budd, A. (2013, July). *Geoscience Australia: Ausgeo News, March 2013*. corporateName=Geoscience Australia; jurisdiction=Commonwealth of Australia; contact=Webmaster; email=http@ga.gov.au. <https://www.ga.gov.au/ausgeonews/ausgeonews201306/geothermal.jsp>
- Buñing, Malate, R. C. M., Lacanilao, A. M., Sta Ana, F. X. M., & Sarmiento, Z. F. (1995). *Recent Experiences in Acid Stimulation Technology by PNOC-Energy Development Corporation, Philippines*.
- Bureau of Land Management (BLM). (2024, August). *Environmental Assessment for the Cape Geothermal Power Project*. https://eplanning.blm.gov/public_projects/2033002/200625761/20117958/251017938/DRAFT_DOI-BLM-UT-C010-2024-0018-EA%20Fervo%20Production%20EA.pdf
- Businesswire. (2022, November 10). *Fervo Announces 20 MW Power Purchase Agreement to Provide 24/7 Carbon-Free Geothermal Electricity to Southern California*. <https://www.businesswire.com/news/home/20221110005162/en/Fervo-Announces-20-MW-Power-Purchase-Agreement-to-Provide-247-Carbon-Free-Geothermal-Electricity-to-Southern-California>
- Businesswire. (2025, April 15). *Fervo Energy Announces 31 MW Power Purchase Agreement With Shell Energy*. <https://www.businesswire.com/news/home/20250415938962/en/Fervo-Energy-Announces-31-MW-Power-Purchase-Agreement-With-Shell-Energy>
- Capestation.com. (2024). Home—Cape Station. <https://capestation.com/>
- Capuano, J., Huh, M., Swanson, R., Raymond, D., Finger, J., Mansure, A., Polsky, Y., & Knudsen, S. (2008). *Enhanced Geothermal Systems (EGS) Well Construction Technology Evaluation Report*. <https://doi.org/10.2172/947299>
- Cardoe, J., Nygaard, G., Lane, C., Saarno, T., & Bird, M. (2021, March 8). *Oil and Gas Drill Bit Technology and Drilling Application Engineering Saves 77 Drilling Days on the World's Deepest Engineered Geothermal Systems EGS Wells*. SPE/IADC International Drilling Conference and Exhibition. <https://doi.org/10.2118/204121-MS>
- Cariaga, C. (2023, November 23). *Vulcan to open lithium extraction optimization plant in Landau, Germany*. <https://www.thinkgeoenergy.com/vulcan-to-open-lithium-extraction-optimization-plant-in-landau-germany/>
- Cariaga, C. (2024a, August 29). *Drilling completed for first well of Haute-Sorne geothermal project, Switzerland*. <https://www.thinkgeoenergy.com/drilling-completed-for-first-well-of-haute-sorne-geothermal-project-switzerland/>
- Cariaga, C. (2024b, October 1). *Vulcan to streamline geothermal lithium operations in Germany with acquisition*. <https://www.thinkgeoenergy.com/vulcan-to-streamline-geothermal-lithium-operations-in-germany-with-acquisition/>

- Cariaga, C. (2025, January 20). *ThinkGeoEnergy's Top 10 Geothermal Countries 2024 – Power*. <https://www.thinkgeoenergy.com/thinkgeoenergys-top-10-geothermal-countries-2024-power/>
- Carlo Cariaga. (2022, February 25). *Second successful well re-drilled in Bad Urach geothermal heating project*. <https://www.thinkgeoenergy.com/second-successful-well-re-drilled-in-bad-urach-geothermal-heating-project/>
- Castilla, R., Meier, P., Zingg, O., El-Alfy, A., & Bethmann, F. (2024). *The Haute-Sorne EGS project: Preliminary Geological Results from the 4km-deep GVL-1 Well*. https://geoscience-meeting.ch/sgm2024/wp-content/uploads/abstracts/Castilla_Raymi_09-04-24-09-43-25.pdf
- C.E. Clark, C.B. Harto, J.N. Schroeder, L.E. Martino, & R.M. Horner. (2013). *Life Cycle Water Consumption and Water Resource Assessment for Utility-Scale Geothermal Systems: An In-Depth Analysis of Historical and Forthcoming EGS Projects*. Argonne National Laboratory. https://gdr.openei.org/files/244/ANL_EVS_R-12_8_Final.pdf
- Chabora, E., & Zemach, E. (2013, April 22). *Desert Peak EGS Project*. Geothermal Technologies Program 2013 Peer Review. <https://www.energy.gov/eere/geothermal/articles/desert-peak-egs-project>
- CHPM2030. (2019). *Combined Heat, Power and Metal extraction*. <https://www.chpm2030.eu/>
- Christi, L. F., Sass, I., Norden, B., Blöcher, G., Zimmermann, G., & Hofmann, H. (2025). Repurposing of hydrocarbon wells for Enhanced Geothermal System (EGS) development. *Geothermics*, 128, 103268. <https://doi.org/10.1016/j.geothermics.2025.103268>
- Cladouhos, T. T., & Callahan, O. A. (2024). *Heat Extraction from SuperHot Rock—Technology Development*. <https://pangea.stanford.edu/ERE/db/GeoConf/papers/SGW/2024/Cladouhos.pdf>
- Cladouhos, T. T., Petty, S., Bonneville, A., Schultz, A., & Sorlie, C. (2018). *Super Hot EGS and the Newberry Deep Drilling Project*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2018/Cladouhos.pdf>
- Cladouhos, T. T., Petty, S., Swyer, M. W., Uddenberg, M. E., Grasso, K., & Nordin, Y. (2016). Results from Newberry Volcano EGS Demonstration, 2010–2014. *Geothermics*, 63, 44–61. <https://doi.org/10.1016/j.geothermics.2015.08.009>
- Clean Air Task Force. (2022). *Superhot Rock Energy A Vision for Firm, Global Zero-Carbon Energy*. CATF. <https://cdn.catf.us/wp-content/uploads/2022/10/21171446/superhot-rock-energy-report.pdf>
- Clean Power Alliance. (2025, February 28). *Clean Power Alliance's Expanded Carbon-Free Geothermal Supply Will Avoid 173 Million Pounds of Greenhouse Gas Emissions Annually*. Yahoo Finance. <https://finance.yahoo.com/news/clean-power-alliance-expanded-carbon-160000935.html>
- Cornell University. (2021). *Cornell University—Ithaca Campus Energy Metrics—FY 2021*.
- Cornell University. (2022). *CUBO data files – Deep Geothermal Heat Research*. <https://deepgeothermalheat.engineering.cornell.edu/cubo-data-files/>
- Cornet, F. (1987). Results from Le Mayet de Montagne project. *Geothermics*, 16(4), 355–374. [https://doi.org/10.1016/0375-6505\(87\)90016-2](https://doi.org/10.1016/0375-6505(87)90016-2)
- Cornet, F. H. (2021). The engineering of safe hydraulic stimulations for EGS development in hot crystalline rock masses. *Geomechanics for Energy and the Environment*, 26, 100151. <https://doi.org/10.1016/j.gete.2019.100151>

- Cossins-Smith, A. (2023, June 19). UK switches on its first deep geothermal plant for 37 years. *Power Technology*. <https://www.power-technology.com/news/uk-eden-projet-deep-geothermal-plant-switch-on/>
- Cyrq Energy. (2025). Our Locations. *Cyrq Energy*. <https://cyrqenergy.com/energy-plant-locations/>
- Data.gov. (2012). *Department of Energy - Newberry EGS Demonstration: Well 55-29 Stimulation Data*. <https://data.gov>
- de Graaf, L., Palmer, R., & Reid, I. (2009). The Penola Project – *Australia's First Hot Sedimentary Aquifer Development* (Australian Geothermal Energy Conference).
- DEEPEGs. (2020). *Deliverable: D7.6 Results for the Vendenheim Geothermal Demonstrator*.
- Deliverable D7.8: Final report on DESTRESS site access program*. (2020). DESTRESS.
- DESTRESS. (n.d.). DESTRESS | Mezöberény, Hungary. Retrieved April 3, 2025, from <https://destress.ethz.ch/en/demonstration-sites/Mezobereny/>
- DESTRESS. (2017a). *D5.1: Description of Individual Completion Elements Required to Segment EGS Reservoir Section*.
- DESTRESS. (2017b). DESTRESS | Klaipeda, Lithuania. <https://destress.ethz.ch/en/demonstration-sites/klaipeda/>
- Diaz, M. B., Kim, K. Y., Kang, T.-H., & Shin, H.-S. (2018). Drilling data from an enhanced geothermal project and its pre-processing for ROP forecasting improvement. *Geothermics*, 72, 348–357. <https://doi.org/10.1016/j.geothermics.2017.12.007>
- DOE. (2023). *Enhanced Geothermal Systems Demonstration Projects*. Energy.Gov. <https://www.energy.gov/eere/geothermal/enhanced-geothermal-systems-demonstration-projects>
- Drakos, P., & Akerley, J. (2017, November 13). *Feasibility of EGS Development at Bradys Hot Springs, Nevada*. Geothermal Technologies Office 2017 Peer Review. https://www.energy.gov/sites/prod/files/2017/12/f46/1_3_EGS%20Demo_Ormat%20Technologies_Ormat-Bradys_Presentation.pdf
- Duffield, W. A., & Sass, J. H. (2003). *Geothermal Energy—Clean Power From the Earth's Heat* (Circular [Circular]). USGS. <https://pubs.usgs.gov/circ/2004/c1249/c1249.pdf>
- E2E Energy Solutions. (2023, December 13). *Rainbow Lake EGGRS Project*. E2E Energy Solutions. <https://e2eenergysolutions.com/projects>
- E2E Energy Solutions. (2025). *E2E Energy Solutions*. E2E Energy Solutions. <https://e2eenergysolutions.com/latitude-53-hinton>
- Earths Energy. (2025a). Flinders West Project. *Earths Energy*. <https://ee1.com.au/flinders-west-project/>
- Earths Energy. (2025b). PARALANA PROJECT. *Earths Energy*. <https://ee1.com.au/paralana-project/>
- Eastman, A. D., & Muir, M. P. (2012). *Update of a Trial of CO₂-Based Geothermal at the St. Johns Dome*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2012/Eastman.pdf>
- Eberle, A., Heath, G. A., Carpenter Petri, A. C., & Nicholson, S. R. (2017). *Systematic Review of Life Cycle Greenhouse Gas Emissions from Geothermal Electricity* (NREL/TP--6A20-68474, 1398245; p. NREL/TP--6A20-68474, 1398245). <https://doi.org/10.2172/1398245>

- Echols, J., Benoit, D., Ohren, M., Oppliger, G., & Gundy, T. V. (2011). *Integration of a 3D-3C Reflection Seismic Survey over a Known Geothermal Resource: Soda Lake, Churchill County, Nevada*. Vol. 35, 2011. <https://publications.mygeoenergynow.org/grc/1029466.pdf>
- Eden Geothermal. (2019, October 10). *Full steam ahead for Eden's £16.8 million hot rocks plan – Eden Geothermal*. <https://www.edengeothermal.com/2019/10/10/full-steam-ahead-for-edens-16-8-million-hot-rocks-plan/>
- Eden Geothermal. (2021, July 12). About the Eden Geothermal Project. *Eden Geothermal*. <https://www.edengeothermal.com/the-project/phase-1/>
- Eden Geothermal. (2025). *About the Eden Geothermal Project – Eden Geothermal*. <https://www.edengeothermal.com/the-project/phase-1/>
- EERE. (2002). *Enhanced Geothermal Systems*. 24–27.
- EERE Success Story—Geothermal Technology Breakthrough in Idaho: Building Upon Previous EGS Accomplishments*. (2016). Energy.Gov. <https://www.energy.gov/eere/articles/eere-success-story-geothermal-technology-breakthrough-idaho-building-upon-previous>
- Eggertsson, G. H., Lavallée, Y., Kendrick, J. E., & Markússon, S. H. (2020). Improving fluid flow in geothermal reservoirs by thermal and mechanical stimulation: The case of Krafla volcano, Iceland. *Journal of Volcanology and Geothermal Research*, 391, 106351. <https://doi.org/10.1016/j.jvolgeores.2018.04.008>
- EGS Energy Ltd. (2016). *The Eden Deep Geothermal Plant Aspects*. <https://thecornishengineer.wordpress.com/wp-content/uploads/2016/03/egs-energy-presentation-v2.pdf>
- Eliasson, T., Wallroth, T., & Sundquist, U. (1987). *Rock mass characteristics at the HDR geothermal research site in the Bohus granite, SW Sweden*. <https://doi.org/10.13140/RG.2.2.19932.59521>
- Ellsworth, W. L., Giardini, D., Townend, J., Ge, S., & Shimamoto, T. (2019). Triggering of the Pohang, Korea, Earthquake (Mw 5.5) by Enhanced Geothermal System Stimulation. *Seismological Research Letters*, 90(5), 1844–1858. <https://doi.org/10.1785/0220190102>
- El-Sadi, K., Gierke, B., Howard, E., & Gradl, C. (2024). *Review of Drilling Performance in a Horizontal EGS Development* (Proceedings, 49th Workshop on Geothermal Reservoir Engineering). Stanford University. <https://pangea.stanford.edu/ERE/db/GeoConf/papers/SGW/2024/Elsadi.pdf>
- EnBW. (2025). *Geothermiewerk Bruchsal / EnBW*. Geothermiewerk Bruchsal. <https://www.enbw.com/unternehmen/themen/geothermie/>
- Energy News Bulletin. (2007, September 26). *Frome is hot stuff: Geothermal Resources*. <https://www.energynewsbulletin.net/renewable-energy/news/1069116/frome-hot-stuff-geothermal-resources>
- Energy.gov. (2024, February 13). *Biden- Harris Administration Invests \$60 Million to Expand Clean, Renewable Geothermal Energy*. Energy.Gov. <https://www.energy.gov/articles/biden-harris-administration-invests-60-million-expand-clean-renewable-geothermal-energy>
- Engineering, G. (2023, March 8). *Geothermal Engineering Secures £15 Million Funding From Kerogen Capital & Thrive Renewables—GEL Energy*. <https://gel.energy/geothermal-engineering-secures-15-million-funding-from-kerogen-capital-and-thrive-renewables-to-expand-the-development-of-deep-geothermal-electricity-and-heat-production-in-the-uk/>

- Entingh, D. J. (2000). *Geothermal Well Stimulation Experiments in the United States*.
- Erdwärme Neustadt-Glewe. (2025). *Start | Erdwärme Neustadt-Glewe*. <https://www.erdwaerme-neustadt-glewe.de/>
- Ernst Huenges. (2024, June 19). *Groß Schönebeck EGS* [Personal communication].
- ÉS Géothermie. (2025). *La centrale géothermique de Soultz-sous-Forêts | ÉS*. <https://geothermie.es.fr/decouvrir-nos-centrales/la-centrale-geothermique-de-soultz-sous-forets>
- Euro Inflation Calculator. (2025). *Euro Inflation Calculator: EUR from 1997 to 2025*. <https://www.in2013dollars.com/predict-euro-inflation>
- Evans, K. F., Zappone, A., Kraft, T., Deichmann, N., & Moia, F. (2012). A survey of the induced seismic responses to fluid injection in geothermal and CO₂ reservoirs in Europe. *Geothermics*, 41, 30–54. <https://doi.org/10.1016/j.geothermics.2011.08.002>
- Farndale, H., & Law, R. (2022). *An Update on the United Downs Geothermal Power Project, Cornwall, UK*. <https://pangea.stanford.edu/ERE/db/GeoConf/papers/SGW/2022/Farndale.pdf>
- Federal Reserve Bank of Minneapolis. (2024). *Inflation Calculator | Federal Reserve Bank of Minneapolis*. <https://www.minneapolisfed.org/about-us/monetary-policy/inflation-calculator>
- Fercho, S., Norbeck, J., Dadi, S., Matson, G., Borell, J., Mcconville, E., Webb, S., Bowie, C., & Rhodes, G. (2025). *Update on the Geology, Temperature, Fracturing, and Resource Potential at the Cape Geothermal Project Informed by Data Acquired from the Drilling of Additional Horizontal EGS Wells*. <https://pangea.stanford.edu/ERE/db/GeoConf/papers/SGW/2025/Fercho.pdf>
- Fervo Energy. (2023a, May 10). *Home—Cape Station*. <https://capestation.com/>
- Fervo Energy. (2023b, December 22). *Fervo's Year in Review—Fervo Energy*. <https://fervoenergy.com/fervos-year-in-review/>
- Fervo Energy. (2024, June 24). *Fervo Energy Announces 320 MW Power Purchase Agreements With Southern California Edison*. <https://www.businesswire.com/news/home/20240625544692/en/Fervo-Energy-Announces-320-MW-Power-Purchase-Agreements-With-Southern-California-Edison>
- Fervo Energy. (2025, June 10, 2025). *The Successful appraisal well paves the way for new productivity records for the geothermal energy industry*. <https://fervoenergy.com/fervo-energy-pushes-envelope/>
- Fiori, R., Vergne, J., Schmittbuhl, J., & Zigone, D. (2023). Monitoring induced microseismicity in an urban context using very small seismic arrays: The case study of the Vendenheim EGS project. *GEOPHYSICS*, 88(5), WB71–WB87. <https://doi.org/10.1190/geo2022-0620.1>
- Fischer, T., Vlček, J., Dědeček, P., Řihošek, J., Zimmermann, G., Holeček, J., Mazanec, M., Rukavičková, L., Janků, L., & Káldy, E. (2023). Hydraulic injection tests in the pilot EGS borehole PVGT-LT1 in Litoměřice, Czechia. *Geothermics*, 115, 102805. <https://doi.org/10.1016/j.geothermics.2023.102805>
- Flores-Armenta, M., & Alcalá, L. M. (2012). *How Much Stimulation can we Afford?* (Presented at “Short Course on Geothermal Development and Geothermal Wells”). Geothermal Training Programme. <https://rafhladan.is/bitstream/handle/10802/8538/UNU-GTP-SC-14-32.pdf>

- Friðleifsson, G. Ó., Elders, W. A., Zierenberg, R. A., Fowler, A. P. G., Weisenberger, T. B., Mesfin, K. G., Sigurðsson, Ó., Níelsson, S., Einarsson, G., Óskarsson, F., Guðnason, E. Á., Tulinius, H., Hokstad, K., Benoit, G., Nono, F., Loggia, D., Parat, F., Cichy, S. B., Escobedo, D., & Mainprice, D. (2020). The Iceland Deep Drilling Project at Reykjanes: Drilling into the root zone of a black smoker analog. *Journal of Volcanology and Geothermal Research*, 391, 106435. <https://doi.org/10.1016/j.jvolgeores.2018.08.013>
- Fulton, P., Clairmont, R., Fucher, S., Pinilla, D., Purwamaska, I., Fresonke, M., Puthur, R., Torres, J., Heaton, T., Beckers, K., Beyers, S., & Bland, W. B.-K. R. (2024). *Subsurface Insights from the Cornell University Borehole Observatory (CUBO): A 3km Deep Exploratory Well for Advancing Earth Source Heat Deep Direct-Use Geothermal for District Heating*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2024/Fulton.pdf>
- Garcia, J., Walters, M., Beall, J., Hartline, C., Pingol, A., Pistone, S., Goyal, K., Wright, M., & Conant, T. (2012). *Overview of the Northwest Geysers EGS Demonstration Project* (PROCEEDINGS, Thirty-Seventh Workshop on Geothermal Reservoir Engineering). <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2012/Garcia.pdf>
- GEL Energy. (2024, May 14). *Site Update: ESP Arrival - GEL Energy*. <https://gel.energy/site-update-esp-arrival/>
- Genesys Hannover. (n.d.). *BGR - Home Genesys Project*. Retrieved April 1, 2025, from https://www.genesys-hannover.de/Genesys/DE/Home/genesys_node.html
- Genter, A. (2021, February 17). *Deep fractured EGS, concepts & reservoir assessment in the Upper Rhine Graben*. MEET Project – Geothermal Winter School, Es-Géothermie. <https://docs.nrel.gov/docs/fy24osti/86995.pdf>
- Genter, A. (2024, April 14). *SME discussion* [Personal communication].
- Genter, A., Baujard, C., Dalmais, E., Glaas, C., Maurer, V., & Ravier, G. (2023). EGS development in Europe based on operational geothermal projects. In *Enhanced Geothermal Systems (EGS)*. CRC Press.
- GEODEEP. (2020, May 11). Fonroche—Vendenheim geothermal plant. *GEODEEP*. <https://www.geodeep.fr/fonroche-vendenheim-geothermal-plant/>
- GEODYNAMICS. (2016). *Annual Report 2015-2016*. www.annualreports.com/HostedData/AnnualReportArchive/r/ASX_RNE_2016.pdf
- Geo-Energie Jura. (n.d.). *Pour en savoir plus*. Haute-Sorne Geo-Energie Suisse SA. Retrieved May 1, 2024, from <https://www.geo-energie-jura.ch/le-projet/pour-en-savoir-plus/>
- Geo-Energie Jura. (2024, August 23). *Travaux en cours*. Haute-Sorne Geo-Energie Suisse SA. <https://www.geo-energie-jura.ch/pavillon-d-information/travaux-en-cours/>
- Geo-Energie Suisse. (2023). *Notre technologie*. FR Geo-Energie Suisse SA. <https://fr.geo-energie.ch/géothermie-profonde/notre-technologie/>
- GeoEnergy, T. (2018, July 23). *Equipment of Kalina geothermal power plant of Unterhaching to be sold / ThinkGeoEnergy—Geothermal Energy News*. <https://www.thinkgeoenergy.com/equipment-of-kalina-geothermal-power-plant-of-unterhaching-to-be-sold/>

- GeoEnergy, T., & Cariaga, C. (2022a, June 17). *Canada to provide federal funding for Alberta geothermal project*. <https://www.thinkgeoenergy.com/canada-to-provide-federal-funding-for-alberta-geothermal-project/>
- GeoEnergy, T., & Cariaga, C. (2022b, September 16). *GEL granted approval for geothermal project at Penhallow, UK*. <https://www.thinkgeoenergy.com/gel-granted-approval-for-geothermal-project-at-penhallow-uk/>
- GeoEnergy, T., & Cariaga, C. (2022c, September 29). *More details announced for planned geothermal project at Penhallow, UK*. <https://www.thinkgeoenergy.com/more-details-announced-for-planned-geothermal-project-at-penhallow-uk/>
- GeoEnergy, T., & Cariaga, C. (2023a, February 17). *GEL receives approval for Manhay geothermal project in Cornwall, UK*. <https://www.thinkgeoenergy.com/gel-receives-approval-for-manhay-geothermal-project-in-cornwall-uk/>
- GeoEnergy, T., & Cariaga, C. (2023b, August 17). *Geothermal exploration plans underway at Saxony, Germany*. <https://www.thinkgeoenergy.com/geothermal-exploration-plans-underway-at-saxony-germany/>
- GeoEnergy, T., & Cariaga, C. (2024a, June 13). *Google to increase geothermal power supply to data centers via Nevada utility*. <https://www.thinkgeoenergy.com/google-to-increase-geothermal-power-supply-to-data-centers-via-nevada-utility/>
- GeoEnergy, T., & Cariaga, C. (2024b, August 29). *Drilling completed for first well of Haute-Sorne geothermal project, Switzerland*. <https://www.thinkgeoenergy.com/drilling-completed-for-first-well-of-haute-sorne-geothermal-project-switzerland/>
- GeoEnergy, T., & Cariaga, C. (2024c, November 5). *Novus Earth, E2E partner for geothermal project in Alberta, Canada*. <https://www.thinkgeoenergy.com/novus-earth-e2e-partner-for-geothermal-project-in-alberta-canada/>
- GeoEnergy, T., & Richter, A. (2009a, July 13). *Chevron to expand its geothermal sites in the Philippines*. <https://www.thinkgeoenergy.com/chevron-to-expand-its-geothermal-sites-in-the-philippines/>
- GeoEnergy, T., & Richter, A. (2009b, December 9). *Greenearth Energy secures US\$23 million government grant for Geelong project*. <https://www.thinkgeoenergy.com/greenearth-energy-secures-us23-million-government-grant-for-geelong-project/>
- GeoEnergy, T., & Richter, A. (2010, April 13). *Geodynamics' Habanero project back on track*. <https://www.thinkgeoenergy.com/geodynamics-habanero-project-back-on-track/>
- GeoEnergy, T., & Richter, A. (2011, November 4). *Greenearth Energy lands AU million grant for 12 MW Geelong project* | ThinkGeoEnergy—Geothermal News & Insights. <https://www.thinkgeoenergy.com/greenearth-energy-lands-us27m-million-grant-for-12-mw-geelong-project/>
- GeoEnergy, T., & Richter, A. (2012, December 19). *South Hungarian EGS demo project securing up to million EU funding* | ThinkGeoEnergy—Geothermal News & Insights. <https://www.thinkgeoenergy.com/south-hungarian-egs-demo-project-securing-up-to-51-million-eu-funding/>
- GeoEnergy, T., & Richter, A. (2013, October 3). *Greenearth Energy faced with funding cancellation for Geelong project* | ThinkGeoEnergy—Geothermal News & Insights. <https://www.thinkgeoenergy.com/greenearth-energy-faced-with-funding-cancellation-for-geelong-project/>

- GeoEnergy, T., & Richter, A. (2015, August 28). *Geodynamics plugging wells and rehabilitating Habanero site* | *ThinkGeoEnergy—Geothermal News & Insights*. <https://www.thinkgeoenergy.com/geodynamics-plugging-wells-and-rehabilitating-habanero-site/>
- GeoEnergy, T., & Richter, A. (2016a, April 14). *New hope for a revival of Mauerstetten project in Bavaria, Germany* | *ThinkGeoEnergy—Geothermal News & Insights*. <https://www.thinkgeoenergy.com/new-hope-for-a-revival-of-mauerstetten-project-in-bavaria-germany/>
- GeoEnergy, T., & Richter, A. (2016b, June 13). *U.S. Geothermal starts drilling to improve output at Raft River plant* | *ThinkGeoEnergy—Geothermal News & Insights*. <https://www.thinkgeoenergy.com/u-s-geothermal-starts-drilling-to-improve-output-at-raft-river-plant/>
- GeoEnergy, T., & Richter, A. (2016c, September 21). *Interview: Alessandro Piubelli of Turboden on the new Soultz-sous-Forets plant* | *ThinkGeoEnergy - Geothermal News & Insights*. <https://www.thinkgeoenergy.com/interview-alessandro-piubelli-of-turboden-on-the-new-soultz-sous-forets-plant/>
- GeoEnergy, T., & Richter, A. (2019, August 3). *Geothermal research project in granite Saxony/Germany becomes concrete* | *ThinkGeoEnergy—Geothermal News & Insights*. <https://www.thinkgeoenergy.com/geothermal-research-project-in-granite-saxony-germany-becomes-concrete/>
- GeoEnergy, T., & Richter, A. (2020, November 22). *70 MW expansion at Salak geothermal plants to operate 2022/ 2023*. <https://www.thinkgeoenergy.com/70-mw-expansion-at-salak-geothermal-plants-to-operate-2022-2023/>
- Geothermal Resources Limited (Director). (2009). *Frome Project—Statement of Estimated Geothermal Resources* [Broadcast].
- GEOTIS. (2022a). *Geothermal Installation Unterhaching*. <https://geotis.info/geotisapp/templates/locationone.php?ID=103>
- GEOTIS. (2022b). *Geothermal installations*. <https://geotis.info/geotisapp/templates/locationall.php?bula=D>
- Giles Parkinson. (2017, June 22). *Birdsville geothermal plant to finally get major upgrade*. *RenewEconomy*. <https://reneweconomy.com.au/birdsville-geothermal-plant-finally-get-major-upgrade-30440/>
- Glaas, C., Patrier, P., Vidal, J., & Beaufort, D. (2021). *Hydrothermal Alteration in the New Deep Geothermal Well GIL-1 (Strasbourg Area, France)*. <https://www.worldgeothermal.org/pdf/IGAstandard/WGC/2020//12097.pdf>
- Goldstein, B. A., Hill, A. J., A. Long, A.R. Budd, F. Holgate, & M. Malavazos. (2009). *Hot Rock Geothermal Energy Plays in Australia (Workshop on Geothermal Reservoir Engineering)*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2009/goldstei.pdf>
- Goldstein, B., & Bendall, B. (2010). *Converting geothermal plays to projects in Australia—A national review*. 34.
- Golla, G. U., Julinawati, T., Putri, R. P., Nordquist, G. A., Libert, F. T., & Suminar, A. R. (2020). *The Salak Field, Indonesia: On to the next 20 years of production*. *Geothermics*, 83, 101715. <https://doi.org/10.1016/j.geothermics.2019.101715>
- Granite Power. (2009). *Granite Power—Presentation to ECO Investor Forum*. ECO Investor Forum.
- Green Rock Energy Ltd. (2008). *Guilt Free Energy*. Australian Geothermal Energy Conference, Melbourne. <https://announcements.asx.com.au/asxpdf/20080820/pdf/31bsymz4m8y13y.pdf>

- GreenFire Energy. (2020). Case Study—Using Closed-Loop Technology to Unlock Geothermal That Cannot Be Accessed with Conventional Technology. *GreenFire Energy Inc.* <https://www.greenfireenergy.com/case-studies/>
- Grigoli, F., Cesca, S., Rinaldi, A. P., Manconi, A., López-Comino, J. A., Clinton, J. F., Westaway, R., Cauzzi, C., Dahm, T., & Wiemer, S. (2018). The November 2017 Mw 5.5 Pohang earthquake: A possible case of induced seismicity in South Korea. *Science*, 360(6392), 1003–1006. <https://doi.org/10.1126/science.aat2010>
- Grünthal, G. (2014). Induced seismicity related to geothermal projects versus natural tectonic earthquakes and other types of induced seismic events in Central Europe. *Geothermics*, 52, 22–35. <https://doi.org/10.1016/j.geothermics.2013.09.009>
- GTO. (2020). *FORGE Phases and Sites*. Energy.Gov. <https://www.energy.gov/eere/geothermal/forge-phases-and-sites>
- Guinot, F., & Marnat, S. (2021). *Death by Injection—Reopening the Klaipeda Geothermal Cold Case* (PROCEEDINGS, 46th Workshop on Geothermal Reservoir Engineering). <https://pangea.stanford.edu/ERE/db/GeoConf/papers/SGW/2021/Guinot.pdf>
- Gunnarsson, G., Pálsdóttir, A., Ragnarsdóttir, K. R., & Friðriksson, Þ. (2024). *Towards Utilization of Superhot Geothermal Resources – the IDDP Project and Beyond*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2024/Gunnarsson.pdf>
- Hall, M. J., Brisk, J., Humphries, P., Imlay, D., Prete, J., & Reeve, C. (2022, April 20). *Resource Project*. Power Board Meeting Agenda, Hurricane City, NV. <https://www.utah.gov/pmn/files/849301.pdf>
- Hao, C. (2024, February 14). *Houston geothermal startup Fervo to receive up to \$25 million from Department of Energy*. Houston Chronicle. <https://www.houstonchronicle.com/business/energy/article/houston-geothermal-fervo-funding-18665551.php>
- Häring, M. O., Schanz, U., Ladner, F., & Dyer, B. C. (2008). Characterisation of the Basel 1 enhanced geothermal system. *Geothermics*, 37(5), 469–495. <https://doi.org/10.1016/j.geothermics.2008.06.002>
- Hartline, C., Walters, M., Wright, M., Rawal, C., Garcia, J., & Farison, J. (2019). *Final Report: The Northwest Geysers Enhanced Geothermal System Demonstration Project, The Geysers, California*. <https://www.osti.gov/servlets/purl/1523288>
- Heidinger, P. (2010). Integral modeling and financial impact of the geothermal situation and power plant at Soultz-sous-Forêts. *Comptes Rendus. Géoscience*, 342(7–8), 626–635. <https://doi.org/10.1016/j.crte.2009.10.010>
- Henniges, J., Blöcher, G., Kranz, S., Regenspurg, S., Reinsch, T., Saadat, A., Zimmermann, G., & Huenges, E. (2015). *Reservoir Behaviour and Borehole Processes During EGS Operation: Experiences from Three Years of Production and Injection at the Groß Schönebeck Site*.
- Hérisson, J. (2021, October 27). Economic EGS-analysis for the Göttingen University Campus. *MEET*. <https://www.meet-h2020.com/economic-egs-analysis-for-the-gottingen-university-campus/>
- Hirschberg, S., Wiemer, S., & Burgherr, P. (2014). *Energy from the Earth: Deep Geothermal as a Resource for the Future?* vdf Hochschulverlag AG.

- Hofmann, H., Zimmermann, G., Huenges, E., Regenspurg, S., Aldaz, S., Milkereit, C., Heimann, S., Dahm, T., Zang, A., Grigoli, F., Karvounis, D., Broccardo, M., Wiemer, S., Hjörleifsdóttir, V., Kristjánsson, B. R., Hersir, G. P., Ásgeirsdóttir, R. St., Magnússon, R., & Árnadóttir, S. (2021). Soft stimulation treatment of geothermal well RV-43 to meet the growing heat demand of Reykjavik. *Geothermics*, 96, 102146. <https://doi.org/10.1016/j.geothermics.2021.102146>
- Hogarth, R., & Holl, H.-G. (2017). Lessons learned from the Habanero EGS project. *Transactions - Geothermal Resources Council*, 41.
- Horne, R., Genter, A., McClure, M., Ellsworth, W., Norbeck, J., & Schill, E. (2025). Enhanced geothermal systems for clean firm energy generation. *Nature Reviews Clean Technology*, 1(2), 148–160. <https://doi.org/10.1038/s44359-024-00019-9>
- Hou, Z., Şen, O., Gou, Y., Eker, A. M., Li, M., Yal, G. P., Cambazoğlu, S., & Were, P. (2015). Preliminary geological, geochemical and numerical study on the first EGS project in Turkey. *Environmental Earth Sciences*, 73(11), 6747–6767. <https://doi.org/10.1007/s12665-015-4407-6>
- Huang, K., Gosnold, W., Hickson, C., Benoit, D., & No, A. (2020). Using Oil and Gas Data to Assess Geothermal Resources Within the Western Canadian Sedimentary Basin in Alberta. *Bulletin. Geothermal Resources Council*, 44, 2020.
- Huddleston-Holmes, D. C. (2014). Geothermal Energy in Australia. CSIRO. <https://arena.gov.au/assets/2017/02/Geothermal-Energy-in-Australia.pdf>
- International Workshop on Hot Dry Rock. Creation and evaluation of geothermal reservoirs.* (1988).
- Interreg. (2024, January 31). Groß Schönebeck – EGS pilot site in the North German Basin. *Interreg Central Europe*. <https://www.interreg-central.eu/news/gros-schonebeck-egs-pilot-site-in-the-north-german-basin/>
- Interreg EU. (2018). *Project—South Hungarian Enhanced Geothermal System (EGS) Demonstration Project*. Keep.Eu. <https://keep.eu/projects/17482/South-Hungarian-Enhanced-Ge-EN/>
- IRENA. (2023, February 16). *Global geothermal market and technology assessment*. <https://www.irena.org/Publications/2023/Feb/Global-geothermal-market-and-technology-assessment>
- IRS.gov. (2025). *Yearly average currency exchange rates | Internal Revenue Service*. <https://www.irs.gov/individuals/international-taxpayers/yearly-average-currency-exchange-rates>
- Jager, A. R. (1996). *Surface water supply for the Clearlake, California Hot Dry Rock Geothermal Project (LA-12718-HDR)*. Los Alamos National Lab. (LANL), Los Alamos, NM (United States). <https://doi.org/10.2172/219402>
- Jennejohn, D. (2010). *U.S. Geothermal Power Production and Development Update*. https://geothermal.org/sites/default/files/2021-02/2010_US_Geothermal_Industry_Update.pdf
- Jia, Y., Tsang, C.-F., Hammar, A., & Niemi, A. (2022). Hydraulic stimulation strategies in enhanced geothermal systems (EGS): A review. *Geomechanics and Geophysics for Geo-Energy and Geo-Resources*, 8(6), 211. <https://doi.org/10.1007/s40948-022-00516-w>
- Jiang, S., Zhang, K., Moore, J., & McLennan, J. (2023). Lessons learned from hydrothermal to hot dry rock exploration and production. *Energy Geoscience*, 4(4), 100181. <https://doi.org/10.1016/j.engeos.2023.100181>
- John Farison. (2019, November 20). *Geysers Lessons Learned and EGS Results*. https://geothermal.jogmec.go.jp/event/file/2019/session_191226_03_John_Farison.pdf

- Jolie, E., Gutiérrez-Negrín, L., Kieling, K., Liotta, D., Arango-Galván, C., Hersir, G., Benediksdóttir, Á., Deb, P., Aragón, A., Thorbjörnsson, I. O., Michele, C., Schill, E., Andrea, T., Zambrano, T., Gaucher, E., Kruszewski, M., Lelli, M., Muller, J., Hernández, A., & Team, G. (2021). *The GEMex project: Developing Los Humeros (Mexico) as a Superhot Geothermal Site*.
- Jones, C., Moore, J., Teplow, W., & Craig, S. (2011). Geology and Hydrothermal Alteration of the Raft River Geothermal System, Idaho. <https://gondwana.stanford.edu/ERE/pdf/IGAstandard/SGW/2011/jones.pdf>
- Jung, R. (2013). EGS — Goodbye or Back to the Future 95. In *Effective and Sustainable Hydraulic Fracturing*. IntechOpen. <https://doi.org/10.5772/56458>
- Jung, R., Orzol, J., Tischner, T., Jatho, R., & Kehrner, P. (2005). *The Genesys-Project: Extraction of Geothermal Heat from Tight Sediments*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2005/jung.pdf>
- Kaieda, H. (2021). Lessons Learned from the Ogachi and Hijiori HDR/EGS Projects, Japan. *Proceedings World Geothermal Congress 2020+1*. World Geothermal Congress.
- Kamila, Z., Kaya, E., & Zarrouk, S. J. (2021). Reinjection in geothermal fields: An updated worldwide review 2020. *Geothermics*, 89, 101970. <https://doi.org/10.1016/j.geothermics.2020.101970>
- Kang, F., Tang, C., Li, Ying-chun, Li, T., & Men, J. (2022). *Challenges and opportunities of enhanced geothermal systems: A review* (Chinese Journal of Engineering) [Journal].
- Kappelmeyer, O. & Jung, R. (1987). *HDR Experiments at Falkenberg/Bavaria*.
- Kelkar, S., WoldeGabriel, G., & Rehfeldt, K. (2016). Lessons learned from the pioneering hot dry rock project at Fenton Hill, USA. *Geothermics*, 63, 5–14. <https://doi.org/10.1016/j.geothermics.2015.08.008>
- Khodayar, M., & Björnsson, S. (2024). Conventional Geothermal Systems and Unconventional Geothermal Developments: An Overview. *Open Journal of Geology*, 14(2), Article 2. <https://doi.org/10.4236/ojg.2024.142012>
- Kitao, K., Ariki, K., Hatakeyama, K., & Wakita, K. (1990). *Well Stimulation Using Cold-Water Injection Experiments in the Sumikawa Geothermal Field, Akita Prefecture, Japan*. Vol. 14, Part II. <https://publications.mygeoenergynow.org/grc/1002028.pdf>
- Kitsou, O. I., Herzog, H. J., & Tester, J. W. (2000). *Economic Modeling of HDR Enhanced Geothermal Systems* (Proceedings World Geothermal Congress).
- Kobayashi, H., Hayamizu, H., & Matsunaga, I. (1982). - *Evaluation of Artificial Fracture Volume Based on Vented Water Yakedake Hot Dry Rock Test Site*. <https://publications.mygeoenergynow.org/grc/1001106.pdf>
- Kong, Y., Pan, S., REN, Y., ZHANG, W., WANG, K., Jiang, G., Yuanzhi, C., SUN, W., Zhang, C., HU, S., & He, L. (2021). Catalog of Enhanced Geothermal Systems based on Heat Sources. *Acta Geologica Sinica - English Edition*, 95, 1882–1891. <https://doi.org/10.1111/1755-6724.14876>
- Kukkonen, I., & Pentti, M. (2021). St1 Deep Heat Project: Geothermal energy to the district heating network in Espoo. *IOP Conference Series: Earth and Environmental Science*, 703, 012035. <https://doi.org/10.1088/1755-1315/703/1/012035>

- Kukkonen, I. T., Heikkinen, P. J., Malin, P. E., Renner, J., Dresen, G., Karjalainen, A., Rytönen, J., & Solantie, J. (2023). Hydraulic conductivity of the crystalline crust: Insights from hydraulic stimulation and induced seismicity of an enhanced geothermal system pilot reservoir at 6 km depth, Espoo, southern Finland. *Geothermics*, 112, 102743. <https://doi.org/10.1016/j.geothermics.2023.102743>
- Kumari, W. G. P., & Ranjith, P. G. (2019). Sustainable development of enhanced geothermal systems based on geotechnical research – A review. *Earth-Science Reviews*, 199, 102955. <https://doi.org/10.1016/j.earscirev.2019.102955>
- Kuriyagawa, M. (1987). Hot dry rock geothermal energy in Japan: Developments by Miti and Nedo. *Geothermics*, 16(4), 401–403. [https://doi.org/10.1016/0375-6505\(87\)90019-8](https://doi.org/10.1016/0375-6505(87)90019-8)
- Lacirignola, M. (2015). *ECOGI: an EGS project for the industry in the Upper Rhine Graben*.
- Larking, A., Knights, A., & Meyer, G. (2010). *Olympic Dam EGS Project*.
- Laughlin, A. W., Eddy, A. C., Laney, R., & Aldrich, M. J. (1983). Geology of the Fenton Hill, New Mexico, hot dry rock site. *Journal of Volcanology and Geothermal Research*, 15(1), 21–41. [https://doi.org/10.1016/0377-0273\(83\)90094-X](https://doi.org/10.1016/0377-0273(83)90094-X)
- Ledingham, P., & Cotton, L. (2020). *The United Downs Deep Geothermal Power Project*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2019/Law.pdf>
- Ledingham, P., Cotton, L., & Law, R. (2019). *The United Downs Deep Geothermal Power Project*.
- Lei, Z., Zhang, Y., Yu, Z., Hu, Z., Li, L., Zhang, S., Fu, L., Zhou, L., & Xie, Y. (2019). Exploratory research into the enhanced geothermal system power generation project: The Qiabuqia geothermal field, Northwest China. *Renewable Energy*, 139, 52–70. <https://doi.org/10.1016/j.renene.2019.01.088>
- Lipton, J. T. (2024). *From Fenton Hill to Fervo: Is EGS approaching commercial viability?* [Masters Thesis, University of Reykjavik]. <https://skemman.is/handle/1946/48711>
- Liu, J., Shao, C., Yang, B., Ramadhani Ngata, M., Mwangomba, M., Josephat, S., & Dahiru Aminu, M. (2024). Advances in enhanced geothermal systems: Integrating laboratory, numerical and field insights. *Applied Thermal Engineering*, 249, 123350. <https://doi.org/10.1016/j.applthermaleng.2024.123350>
- Long, A., Goldstein, B., Hill, T., Bendall, B., Malavazos, M., & Budd, A. (2010). *Australian Geothermal Industry Advances*. <https://es.stanford.edu/ERE/pdf/IGAstandard/SGW/2010/long1.pdf>
- Louise McAllister. (2010, January 28). *The Paralana – Engineered Geothermal Energy Project*. Society of Petroleum Engineers Victoria / Tasmania branch technical meeting. https://higherlogicdownload.s3.amazonaws.com/SPE/b21d5158-ada7-4105-a570-17a7bc5f5c09/UploadedImages/2010/JAN%202010%20_100128%20Soc%20of%20Petroleum%20Engineers.pdf
- Lowry, T. S., Finger, J. T., Carrigan, C. R., Foris, A., Kennedy, M. B., Corbet, T. F., Doughty, C. A., Pye, S., & Sonnenthal, E. L. (2017). *GeoVision Analysis: Reservoir Maintenance and Development Task Force Report (GeoVision Analysis Supporting Task Force Report : Reservoir Maintenance and Development)* (SAND2017-9977). Sandia National Lab. (SNL-NM), Albuquerque, NM (United States). <https://doi.org/10.2172/1394062>
- Lowry, T. S., Foris, A., Finger, J. T., Pye, S., & Blankenship, D. A. (2017). *Implications of Drilling Technology Improvements on the Availability of Exploitable EGS Resources* (PROCEEDINGS, 42nd Workshop on Geothermal Reservoir Engineering). <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2017/Lowry.pdf>

- Loy, W. (2016). *Naknek geothermal project appears dead*. Anchorage Daily News. <https://www.adn.com/economy/article/naknek-geothermal-project-appears-dead/2011/09/25/>
- Lu, S.-M. (2017). A global review of enhanced geothermal system (EGS). *Renewable and Sustainable Energy Reviews*, 81. <https://doi.org/10.1016/j.rser.2017.06.097>
- Lukawski, M. Z., Anderson, B. J., Augustine, C., Capuano, L. E., Beckers, K. F., Livesay, B., & Tester, J. W. (2014). Cost analysis of oil, gas, and geothermal well drilling. *Journal of Petroleum Science and Engineering*, 118, 1–14. <https://doi.org/10.1016/j.petrol.2014.03.012>
- Lukawski, M. Z., Silverman, R. L., & Tester, J. W. (2016). Uncertainty analysis of geothermal well drilling and completion costs. *Geothermics*, 64, 382–391. <https://doi.org/10.1016/j.geothermics.2016.06.017>
- Lund, J., & Chiasson, A. (2007). *Examples of combined heat and power plants using geothermal energy*.
- Lund, J. W., & Toth, A. (2021). *Direct Utilization of Geothermal Energy 2020 Worldwide Review* (Proceedings World Geothermal Congress 2020+1).
- Luo, W., Kottsova, A., Vardon, P., Dieudonné, A.-C., & Brehme, M. (2023). Mechanisms causing injectivity decline and enhancement in geothermal projects. *Renewable and Sustainable Energy Reviews*, 185, 113623. <https://doi.org/10.1016/j.rser.2023.113623>
- Majer, E. L., Baria, R., Stark, M., Oates, S., Bommer, J., Smith, B., & Asanuma, H. (2007). Induced seismicity associated with Enhanced Geothermal Systems. *Geothermics*, 36(3), 185–222. <https://doi.org/10.1016/j.geothermics.2007.03.003>
- Malate, R. C. M., Austria, J. J. C., Sarmiento, Z. F., Lullo, G. D., Sookprasong, P. A., & Francis, E. S. (1998). *MATRIX STIMULATION TREATMENT OF GEOTHERMAL WELLS USING SANDSTONE ACID* (Workshop on Geothermal Reservoir Engineering). Stanford University. <https://earthsciences.stanford.edu/ERE/pdf/IGAstandard/SGW/1998/Malate.pdf>
- Malate, R. C. M., Buñing, B. C., Molina, P. O., Yglopaz, D. M., & Lacanilao, A. M. (2000). *SK-2D: A Case History on Geothermal Wellbore Enhancement, Mindanao Geothermal Production Field, Philippines*.
- Malate, R. C. M., Yglopaz, D. M., Austria, J. J. C., Lacanilao, A. M., & Sarmiento, Z. F. (1997). *Acid Stimulation of Injection Wells in the Leyte Geothermal Power Project, Philippines* (Twenty-Second Workshop on Geothermal Reservoir Engineering).
- Mark McClure. (2023, July 19). Fervo Energy's 'Project Red' Results Are a Historic Breakthrough for Geothermal Energy – What Comes Next? - ResFrac Corporation [ResFrac]. *ResFrac*. <https://www.resfrac.com/blog/fervo-energys-project-red-results-are-a-historic-breakthrough-for-geothermal-energy-what-comes-next>
- Mateeva, Y. P. (2013, April 12). *Drilling of geothermal project in Swiss St. Gallen reaches 1,900 m depth—Report | Renewable Energy News | Renewables Now*. <https://renewablesnow.com/news/drilling-of-geothermal-project-in-swiss-st-gallen-reaches-1-900-m-depth-report-346653/>
- Mattson, E., & Blankenship, D. (2018). *Potential Experimental Topics for EGS Collab Experiment 3* (Workshop on Geothermal Reservoir Engineering). Stanford University. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2018/Mattson.pdf>
- Maurer, V., Cuenot, N., Richard, A., Peterschmitt, A., & Ravier, G. (2021). *Geophysical Monitoring of Geothermal Fields in the Upper Rhine Graben*.
- Mazama Energy. (2025). *Mazama Energy—Reinventing Geothermal Energy*. Mazama Energy. <https://mazamaenergy.com/>

- McConville, E. (2023, September 19). *Fervo's Commercialization Plans for Enhanced Geothermal Systems (EGS)*. EGI Technical Conference, Salt Lake City, UT. https://egi.utah.edu/wp-content/uploads/2023/09/09.45-Emma-McConville-Fervo_EGI_Sept-19-2023.pdf
- McLaughlin, H. (2011). *Geothermal Energy In Australia*. https://www.smu.edu/-/media/Site/Dedman/Academics/Programs/Geothermal-Lab/Conference/PastPresentations/2011/McLaughlin_AustralianGeothermalProjects_2011.pdf
- MEET-H2020. (2019). Universitätsenergie Göttingen GmbH. *MEET*. <https://www.meet-h2020.com/demonstration-sites/universitaetsenergie-gottingen-gmbh/>
- Mertoglu, O., Simsek, S., & Basarir, N. (2021). *Geothermal Energy Use: Projections and Country Update for Turkey*.
- MND. (2014, August). *Altheim in Upper Austria – an example of cascaded geothermal energy use*. Geothermal Workshop Veli Lošinj. https://www.fondazioneinternazionale.org/wp-content/uploads/2014/08/2014_Cociancig_Altheim_MND-Group_Hodonin-CZ.pdf
- Morris, C. W., & Bunyak, M. J. (1981). *Fracture Stimulation Experiments at the Baca Project Area*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/1981/Morris.pdf>
- Morris, C. W., Verity, R. V., & DaSie, W. (1984). *Chemical Stimulatlon Treatment of a Well In the Beowawe Geothermal Field* (Geothermal Resources Council, TRANSACTIONS, Vol. 8. August 1984). <https://publications.mygeoenergynow.org/grc/1001188.pdf>
- Mouchot, J., Ravier, G., Seibel, O., & Pratiwi, A. (2019). Deep Geothermal Plants Operation in Upper Rhine Graben: Lessons Learned. *European Geothermal Congress 2019*. <https://europeangeothermalcongress.eu/wp-content/uploads/2019/07/39.pdf>
- Mraz, E., Moeck, I., Bissmann, S., & Hild, S. (2018). Multiphase fossil normal faults as geothermal exploration targets in the Western Bavarian Molasse Basin: Case study Mauerstetten. *Zeitschrift Der Deutschen Gesellschaft Für Geowissenschaften*, 389–411. <https://doi.org/10.1127/zdgg/2018/0166>
- Mumma, D. M. (1982). *Explosive stimulation of a geothermal well -GEOFRAC (PIFR-1256)*. https://digital.library.unt.edu/ark:/67531/metadc1190388/m2/1/high_res_d/6932256.pdf
- Murphy, H., Drake, R., Tester, J., & Zyvoloski, G. (1982). *Economics of a 75-MW(e) hot-dry-rock geothermal power station based upon the design of the Phase II reservoir at Fenton Hill (LA-9241-MS, 5641381; p. LA-9241-MS, 5641381)*. <https://doi.org/10.2172/5641381>
- Nádor, A., Kujbus, A., & Tóth, A. (2019). Geothermal Energy Use, Country Update for Hungary. *European Geothermal Congress*. <https://europeangeothermalcongress.eu/wp-content/uploads/2019/07/CUR-14-Hungary.pdf>
- Nicholson, S., & Heath, G. (2021). *Life Cycle Greenhouse Gas Emissions from Electricity Generation: Update*. <https://docs.nrel.gov/docs/fy21osti/80580.pdf>
- Niitsuma, H. (1989). Fracture mechanics design and development of HDR reservoirs—Concept and results of the Γ-project, Tohoku University, Japan. *International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts*, 26(3), 169–175. [https://doi.org/10.1016/0148-9062\(89\)91966-9](https://doi.org/10.1016/0148-9062(89)91966-9)
- Norbeck, J. H., Gradl, C., & Latimer, T. (2024). *Deployment of Enhanced Geothermal System technology leads to rapid cost reductions and performance improvements*. <https://eartharxiv.org/repository/view/7665/>

- Norbeck, J. H., & Latimer, T. (2023). *Commercial-Scale Demonstration of a First-of-a-Kind Enhanced Geothermal System*. <https://eartharxiv.org/repository/view/5704/>
- Norbeck, J. H., McClure, M. W., & Horne, R. N. (2018). Field observations at the Fenton Hill enhanced geothermal system test site support mixed-mechanism stimulation. *Geothermics*, 74, 135–149. <https://doi.org/10.1016/j.geothermics.2018.03.003>
- Norbeck, J., Latimer, T., Gradl, C., Agarwal, S., Dadi, S., Eddy, E., Fercho, S., Lang, C., Mcconville, E., Titov, A., Voller, K., & Woitt, M. (2023). *A Review of Drilling, Completion, and Stimulation of a Horizontal Geothermal Well System in North-Central Nevada*. <https://pangea.stanford.edu/ERE/db/GeoConf/papers/SGW/2023/Norbeck.pdf>
- Novus Earth. (2022, May 4). *Hinton | Latitude 53 Project | Novus Earth*. <https://novusearth.ca/latitude53project/>
- NV Energy. (2024, June 20). *Long-Term Renewable Power Purchase Agreement Between Sierra Pacific Power Company D/B/A NV Energy and Corsac Generating Station 2 LLC*. https://www.nvenergy.com/publish/content/dam/nvenergy/brochures_arch/about-nvenergy/rates-regulatory/recent-regulatory-filings/irp/IRP-Volume-26.pdf
- Ohren, M., Benoit, D., Kumataka, M., & Morrison, M. (2011). *Permeability Recovery and Enhancements in the Soda Lake Geothermal Field, Fallon, Nevada*. <https://publications.mygeoenergynow.org/grc/1029283.pdf>
- Olver, T., & Law, R. (2025). *The United Downs Geothermal Power Plant, Cornwall, UK: Combining the Generation of Geothermal Electricity and Heat, with the Extraction of Critical Raw Materials*. <https://pangea.stanford.edu/ERE/db/GeoConf/papers/SGW/2025/Olver.pdf>
- Ontoy, Y., Molling, P., Xu, T., Spycher, N., Parini, M., & Pruess, K. (2003). Scaling of hot brine injection wells: Supplementing field studies with reactive transport modeling. *Lawrence Berkeley National Laboratory*, 2003–1.
- Ormat. (2008). *Nevada Geothermal Issues Full Notice to Proceed to Ormat for the Blue Mountain “Faulkner 1” Power Plant*. <https://investor.ormat.com/news-events/news/news-details/2008/Nevada-Geothermal-Issues-Full-Notice-to-Proceed-to-Ormat-for-the-Blue-Mountain-Faulkner-1-Power-Plant/default.aspx>
- Parker, R. (1999). The Rosemanowes HDR project 1983–1991. *Geothermics*, 28(4), 603–615. [https://doi.org/10.1016/S0375-6505\(99\)00031-0](https://doi.org/10.1016/S0375-6505(99)00031-0)
- Pasikki, R., Libert, F., Yoshioka, K., & Leonard, R. (2010). Well Stimulation Techniques Applied at the Salak Geothermal Field. In *Proceedings of the World Geothermal Congress, Bali, Indonesia* (p. 11).
- Patel, S. (2023, April 4). *EGS, AGS, and Supercritical Geothermal Systems: What’s the Difference?* POWER Magazine. <https://www.powermag.com/egs-ags-and-supercritical-geothermal-systems-whats-the-difference/>
- Pemecker, G. (1999). *Altheim geothermal plant for electricity production by ORC-turbogenerator*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/EGC/1999/Pemecker.pdf>
- Penrod, E. (2024, June 21). *NV Energy seeks new tariff to supply Google with 24/7 power from Fervo geothermal plant | Utility Dive*. <https://www.utilitydive.com/news/google-fervo-nv-energy-nevada-puc-clean-energy-tariff/719472/>

- Pesa News. (2007). *Green Rock Energy Hungary for Geothermal Success*. <https://archives.datapages.com/data/petroleum-exploration-society-of-australia/news/086/086001/pdfs/48.htm>
- Peter-Borie, M., Loschetter, A., & Blaisonneau, A. (2019). Thermal stimulation of the deep geothermal wells: Insights from the H2020- DEEPEGS project. *Insights from the H2020- DEEPEGS Project. European Geothermal Congress - EGC 2019*. <https://brgm.hal.science/hal-02064146/document>
- Petrauskas, S., Šliaupa, S., Nair, R., & Valickas, R. (2018). *The Horizon 2020 Project SURE: Deliverable 6.1 - Report on a field scale RJD stimulation for the Klaipeda site*. GFZ German Research Centre for Geosciences. <https://doi.org/10.2312/GFZ.4.8.2019.007>
- Petty, S. (2006). *Geothermal Power Generation Potential Poplar Dome, Montana*. https://www.smu.edu/-/media/Site/Dedman/Academics/Programs/Geothermal-Lab/Conference/PastPresentations/2006/Petty_PoplarPresentation.pdf
- Petty, S. (2014). *Engineered Geothermal System Demonstration Project* (DOE-Altarock-18198). AltaRock Energy, Inc. <https://doi.org/10.2172/1134470>
- Pollack, A., Horne, R., & Mukerji, T. (2021). *What Are the Challenges in Developing Enhanced Geothermal Systems (EGS)? Observations from 64 EGS Sites*. <https://pangea.stanford.edu/ERE/db/WGC/papers/WGC/2020/31027.pdf>
- Portier, S., Vuataz, F.-D., Nami, P., Sanjuan, B., & Gérard, A. (2009). Chemical stimulation techniques for geothermal wells: Experiments on the three-well EGS system at Soultz-sous-Forêts, France. *Geothermics*, 38(4), 349–359. <https://doi.org/10.1016/j.geothermics.2009.07.001>
- POWER Magazine. (2007, December 15). *Raft River Geothermal Project, Malta, Idaho*. POWER Magazine. <https://www.powermag.com/raft-river-geothermal-project-malta-idaho/>
- Raemy, B. P. I. (2012, June 21). *New York Canyon Stimulation* (Text DOE DE-EE0003008). UNT Digital Library; TGP Development Company, LLC. <https://digital.library.unt.edu/ark:/67531/metadc843866/m1/4/>
- Raos, S., Hranić, J., Rajšl, I., & Bär, K. (2022). An extended methodology for multi-criteria decision-making process focused on enhanced geothermal systems. *Energy Conversion and Management*, 258, 115253. <https://doi.org/10.1016/j.enconman.2022.115253>
- Rathnaweera, T. D., Wu, W., Ji, Y., & Gamage, R. P. (2020). Understanding injection-induced seismicity in enhanced geothermal systems: From the coupled thermo-hydro-mechanical-chemical process to anthropogenic earthquake prediction. *Earth-Science Reviews*, 205, 103182. <https://doi.org/10.1016/j.earscirev.2020.103182>
- Ravier, G. (2020, April 27). *Rittershoffen Geothermal Heat Plant*. ES Geothermie. https://www.geoenvi.eu/wp-content/uploads/2020/04/2020_04_27_Rittershoffen_plant_Guillaume.pdf
- Reid, P., & Messeiller, M. (2013). Paralana Engineered Geothermal Systems Project 3.5MW Development Plan. *Proceedings Australian Geothermal Energy Conferences*.
- Reid, P. W., Bendall, B. R., & McAllister, L. (2010, April 25). *Developing Large Scale, Base Load EGS Power—The Paralana Project, South Australia*. World Geothermal Congress, Bali, Indonesia.
- Reinecker, J., Gutmanis, J., Foxford, A., Cotton, L., Dalby, C., & Law, R. (2021). Geothermal exploration and reservoir modelling of the United Downs deep geothermal project, Cornwall (UK). *Geothermics*, 97, 102226. <https://doi.org/10.1016/j.geothermics.2021.102226>

- Relativo-Fajardo, V. L., Gerona, P. P., & Padua, D. O. (1999). *Reservoir Response and Behavior to Five Years of Exploration of the Bacon-Manito Geothermal Production Field Albay, Philippines*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/1999/Fajardo.pdf>
- Renewable Energy Magazine. (2022, July 18). *Green Light for Geothermal Project in Haute-Sorne, Switzerland*. Renewable Energy Magazine. <https://www.renewableenergymagazine.com/geothermal/green-light-for-geothermal-project-in-hautesorne-20220718>
- Republic Geothermal. (1983). *Hydraulic Fracture Stimulation and Acid Treatment of Well BACA 20*. <https://www.osti.gov/servlets/purl/860845>
- Republic Geothermal. (1984). *Geothermal Reservoir Well Stimulation Program Final Program Summary Report*. <https://www.osti.gov/servlets/purl/5224424>
- Republic Geothermal, Maurer Engineering, & Vetter Research. (1981). *Hydraulic-fracture stimulation treatments at East Mesa, Well 58-30. Geothermal-reservoir well-stimulation program* (DOE/AL/10563-T13, 7097574; p. DOE/AL/10563-T13, 7097574). <https://doi.org/10.2172/7097574>
- Reserve Bank of Australia. (2025). *Inflation Calculator* | RBA. Reserve Bank of Australia. <https://www.rba.gov.au/calculator/annualDecimal.html>
- Richter. (2013a). *Successful EGS power production at Ormat Desert Peak 2 plant* | ThinkGeoEnergy—Geothermal News & Insights. <https://www.thinkgeoenergy.com/successful-egs-power-production-at-ormat-desert-peak-2-plant/>
- Richter. (2021). *Drilling successfully produces hot water for geothermal project, Bad Urach*. Think Geo Energy. <https://www.thinkgeoenergy.com/drilling-successfully-produces-hot-water-for-geothermal-project-bad-urach/>
- Richter, A. (2009a, May 30). *Australian Geothermal Resources Ltd. Updates on Frome Project*. <https://www.thinkgeoenergy.com/australian-geothermal-resources-ltd-updates-on-frome-project/>
- Richter, A. (2009b, August 9). *Paralana geothermal project in South Australia officially launched*. <https://www.thinkgeoenergy.com/paralana-geothermal-project-in-south-australia-officially-launched/>
- Richter, A. (2011, April 4). *Origin Energy and Geodynamics commence drilling at Innamincka Shallows* | ThinkGeoEnergy—Geothermal News & Insights. <https://www.thinkgeoenergy.com/origin-energy-and-geodynamics-commence-drilling-at-innamincka-shallows/>
- Richter, A. (2013b, January 30). *Geodynamics reports on status on Habanero 4 Well and exploration projects* | ThinkGeoEnergy—Geothermal News & Insights. <https://www.thinkgeoenergy.com/geodynamics-reports-on-status-on-habanero-4-well-and-exploration-projects/>
- Richter, A. (2013c, April 1). *Origin Energy withdraws from Innamincka JVs with Geodynamics* | ThinkGeoEnergy—Geothermal News & Insights. <https://www.thinkgeoenergy.com/origin-energy-withdraws-from-innamincka-jvs-with-geodynamics/>
- Ricks, W., Norbeck, J., & Jenkins, J. (2022). The value of in-reservoir energy storage for flexible dispatch of geothermal power. *Applied Energy*, 313, 118807. <https://doi.org/10.1016/j.apenergy.2022.118807>
- Riffault, J., Dempsey, D., Karra, S., & Archer, R. (2018). Microseismicity Cloud Can Be Substantially Larger Than the Associated Stimulated Fracture Volume: The Case of the Paralana Enhanced Geothermal System. *Journal of Geophysical Research: Solid Earth*, 123(8), 6845–6870. <https://doi.org/10.1029/2017JB015299>

- Rivera Diaz, A., Kaya, E., & Zarrouk, S. J. (2016). Reinjection in geothermal fields – A worldwide review update. *Renewable and Sustainable Energy Reviews*, 53, 105–162. <https://doi.org/10.1016/j.rser.2015.07.151>
- Rojas, F. (2014, December 3). *140 million geothermal heat and power plant planned for Hungary* / *ThinkGeoEnergy—Geothermal Energy News*. <https://www.thinkgeoenergy.com/140-million-geothermal-heat-and-power-plant-planned-for-hungary/>
- Romanov, D., & Leiss, B. (2021). Analysis of Enhanced Geothermal System Development Scenarios for District Heating and Cooling of the Göttingen University Campus. *Geosciences*, 11(8), Article 8. <https://doi.org/10.3390/geosciences11080349>
- Rose, P., Mella, M., & McCullough, J. (2006). *A Comparison of Hydraulic Stimulation Experiments at the Soultz, France and Coso, California Engineered Geothermal Systems*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2006/rose.pdf>
- Rosell, J. B., & Ramos, S. G. (1998). *Origin of Acid Fluids in the Cawayan Sector Bacman Geothermal Production Field*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/1998/Rosell.pdf>
- Rummel, F., & Kappelmeyer, O. (1983). The Falkenberg Geothermal Frac-Project: Concepts and Experimental Results. In S. Nemat-Nasser, H. Abé, & S. Hirakawa (Eds.), *Hydraulic fracturing and geothermal energy* (pp. 59–74). Springer Netherlands. https://doi.org/10.1007/978-94-009-6884-4_4
- Saar, M. (2019, January 29). *15.1 Two contactless drilling methods Flame-Jet Spallation and Plasma-Pulse Geo Drilling*. https://geothermie-schweiz.ch/wp_live/wp-content/uploads/2019/02/15.1-Two-contactless-drilling-methods-Flame-Jet-Spallation-and-Plasma-Pulse-Geo-Drilling.pdf
- Šafanda, J., Verner, K., Franžk, J., Pežestý, V., Holežek, J., & Fischer, T. (2020). Geology and geothermal potential in the eastern flank of Eger Rift (Litoměřice area, Czech Republic). *Geothermics*, 86, 101808. <https://doi.org/10.1016/j.geothermics.2020.101808>
- Sage Geosystems. (2025). *Sage Geosystems*. <https://www.sagegeosystems.com/>
- Sanjuan, B, Lasne, E, & Brache, M. (2000). *Bouillante Geothermal Field (Guadeloupe, West Indies): Geochemical Monitoring During a Thermal Stimulation Operation* (PROCEEDINGS, Twenty-Fifth Workshop on Geothermal Reservoir Engineering). <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2000/Sanjuan.pdf>
- Sanyal, S. K. (2009). Cost of Electric Power from Enhanced Geothermal Systems—Its Sensitivity and Optimization. *GRC Transactions*, 33. http://repository.usgin.org/sites/default/files/dlio/files/2011/u19/cost_of_electric_power_from_enhanced_geothermal_systems_finalgrcversion.pdf
- Sasaki, S. (1998). Characteristics of microseismic events induced during hydraulic fracturing experiments at the Hijiori hot dry rock geothermal energy site, Yamagata, Japan. *Tectonophysics*, 289(1), 171–188. [https://doi.org/10.1016/S0040-1951\(97\)00314-4](https://doi.org/10.1016/S0040-1951(97)00314-4)
- Schanz, U., Stang, H., Tenzer, H., Homeier, G., Hase, M., Baisch, S., Weidler, R., Macek, A., & Uhlig, S. (2003). *Hot Dry Rock Project Urach*.
- Schindler, M., Baumgärtner, J., Gandy, T., Hauße, P., Hettkamp, T., Menzel, H., Penzkofer, P., Teza, D., Tischner, T., & Wahl, G. (2010). *Successful Hydraulic Stimulation Techniques for Electric Power Production in the Upper Rhine Graben, Central Europe* (Proceedings World Geothermal Congress 2010).

- Schmittbuhl, J., Lambotte, S., Lengliné, O., Grunberg, M., Jund, H., Vergne, J., Cornet, F., Doubre, C., & Masson, F. (2021). Induced and triggered seismicity below the city of Strasbourg, France from November 2019 to January 2021. *Comptes Rendus. Géoscience*, 353(S1), 561–584. <https://doi.org/10.5802/crgeos.71>
- Seibt, P., Kabus, F., & Hoth, P. (2005). *The Neustadt-Glewe Geothermal Power Plant—Practical Experience in the Reinjection of Cooled Thermal Waters into Sandstone Aquifers*.
- Sigfússon, B., & Uihlein, A. (2015a). *2014 JRC geothermal energy status report*. Publications Office of the European Union. <https://data.europa.eu/doi/10.2790/460251>
- Sigfússon, B., & Uihlein, A. (2015b). *2015 JRC geothermal energy status report* (JRC Science for Policy Report). Publications Office of the European Union. <https://data.europa.eu/doi/10.2790/460251>
- Sigurdsson, O. (2021). *Stimulation of the RN-15/IDDP-2 Well at Reykjanes Attempting to Create an EGS System*.
- Soltani, M., Moradi Kashkooli, F., Souiri, M., Rafiei, B., Jabarifar, M., Gharali, K., & Nathwani, J. S. (2021). Environmental, economic, and social impacts of geothermal energy systems. *Renewable and Sustainable Energy Reviews*, 140, 110750. <https://doi.org/10.1016/j.rser.2021.110750>
- Sonnenthal, E., Spycher, N., Callahan, O., Cladouhos, T., & Petty, S. (2012). *A Thermal-Hydrological-Chemical Model for the Enhanced Geothermal System Demonstration Project at Newberry Volcano, Oregon*. https://gdr.openei.org/files/271/sonnenthal_sgw_2012.pdf
- Sonoma Clean Power. (2024). *Enhanced Geothermal Systems (EGS) in Sonoma Clean Power's GeoZone*. <https://sonomacleanpower.org/uploads/documents/Enhanced-Geothermal-Systems-Flyer.pdf>
- Sowiżdżał, A., Starczewska, M., & Papiernik, B. (2022). Future Technology Mix—Enhanced Geothermal System (EGS) and Carbon Capture, Utilization, and Storage (CCUS)—An Overview of Selected Projects as an Example for Future Investments in Poland. *Energies*, 15(10), Article 10. <https://doi.org/10.3390/en15103505>
- ST1. (2020). *Geothermal Heat Potential*. Aalto Energy Forum, Aalto Energy Forum.
- Stafford, C. E. (2010). Measuring the Success of EGS Projects: An Historical to Present Day Perspective. *Australian Geothermal Conference 2010*.
- Su, J., So, P., Wriedt, J., McLennan, J., Deo, M., Noynaert, S. F., Raymond, D., & Schneider, M. (2024). Evaluation of Physics-Based Limiter Redesign Drilling and Alternative Bit Design at the Geysers. *PROCEEDINGS*. <https://pangea.stanford.edu/ERE/db/GeoConf/papers/SGW/2024/Su.pdf>
- Switzerland Inflation Calculator. (2025). *Switzerland Inflation Calculator: World Bank data, 1956-2024 (CHF)*. <https://www.in2013dollars.com/switzerland/inflation>
- Tello-López, M. R., Torres-Rodríguez, M. A., & Volta, A. (2010). *Acid Treatment in Wells of the Los Azufres Geothermal Field to Steam Production Enhancement* (World Geothermal Congress).
- Tenzer, H. (2003). *Development of Hot Dry Rock Technology* (International Workshop on Hot Dry Rock Technology). https://pangea.stanford.edu/ERE/pdf/IGAstandard/ISS/2003Germany/III/2_1.ten.pdf
- Tester, J., Gustafson, O., Beyers, S., Jordan, T., & Fulton, P. (2023). *Geothermal Direct Use for Decarbonization—Progress Towards Demonstrating Earth Source Heat at Cornell*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2023/Tester.pdf>

- Tester, J. W., Beckers, K. F., Hawkins, A. J., & Lukawski, M. Z. (2021). The evolving role of geothermal energy for decarbonizing the United States. *Energy & Environmental Science*, 14(12), 6211–6241. <https://doi.org/10.1039/D1EE02309H>
- The future of geothermal energy: Impact of enhanced geothermal systems (EGS) on the United States in the 21st century: an assessment* (INL/EXT-06-11746). (2006). Massachusetts Institute of Technology. <https://energy.mit.edu/wp-content/uploads/2006/11/MITEI-The-Future-of-Geothermal-Energy.pdf>
- Think GeoEnergy & Richter. (2019, September 9). *Plans for geothermal research project in state of Saxonia, Germany have been cancelled* | ThinkGeoEnergy—Geothermal Energy News. <https://www.thinkgeoenergy.com/plans-for-geothermal-research-project-in-state-of-saxonia-germany-have-been-cancelled/>
- Thrive Renewables. (n.d.). *United Downs deep geothermal*. Thrive Renewables. Retrieved April 23, 2025, from <https://www.thriverenewables.co.uk/projects/united-downs-geothermal/>
- Tiefe Geothermie. (2010). *First deep geothermal power plant planned in Saxony* | Information portal Deep Geothermal energy. <https://www.tiefengeothermie.de/news/erstes-tiefengeothermie-kraftwerk-sachsen-geplant>
- Tomita, T., Sirahige, T., Kuriyagawa, M., & Suzuki, K. (1988). *Present and Future Plan of Hot Dry Rock Program in Japan*. <https://publications.mygeoenergynow.org/grc/1016534.pdf>
- Torres-Rodríguez, M. A., Mendoza-Covarrubias, A., & Medina-Martínez, M. (2005). *An Update of the Los Azufres Geothermal Field, after 21 Years of Exploitation*. <https://www.worldgeothermal.org/pdf/IGAstandard/WGC/2005/0916.pdf>
- Toth, A. N., & Nádor, A. (2023). *Geothermal Country Update for Hungary* (World Geothermal Congress).
- Trazona, R. G., Sambrano, B. M. G., & Esberto, M. B. (2002). *Reservoir Management in Mindanao Geothermal Production Field, Philippines*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2002/Trazona.pdf>
- Triple Point Heat Networks. (n.d.). *Some of Our Funded Projects – GHNF*. Retrieved March 31, 2025, from <https://tp-heatnetworks.org/funded-projects/>
- Trullenque, G., Genter, A., Leiss, B., Wagner, B., Bouchet, R., Leoutre, E., Malnar, B., Bär, K., & Rajšl, I. (2018). *Upscaling of EGS in Different Geological Conditions: A European Perspective* (Workshop on Geothermal Reservoir Engineering). Stanford University. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/2018/Trullenque.pdf>
- Tulinius, H., Axelsson, G., Tomasson, J., Kristmannsdottir, H., & Gudmundsson, A. (1996). *Stimulation of well SN-12 in the Seltjarnarnes low-temperature field in SW-Iceland* (SGP-TR-151-66). National Energy Authority, Grensasvegur, Reykjavik, IS. <https://www.osti.gov/biblio/890005>
- Turan, A., Artun, E., & Saner, S. (2021). Resource Assessment of Kozak Granodiorite for an EGS Application in Dikili-İzmir Region, Western Turkey. *Proceedings World Geothermal Congress*.
- TURBODEN. (2024, July 16). *Inauguration of 28.9 MWe Binary Geothermal Plant in the Philippines* | Press releases. <https://www.turboden.com/company/media/press/press-releases/4721/inauguration-of-289-mwe-binary-geothermal-plant-in-the-philippines>
- TURBODEN. (2025). *Installation of ORC plants all over the world*. <https://www.turboden.com/references>
- Tym, Dr. A. (2019). *Geothermal Project Litoměřice*. RINGEN Research Infrastructure.

- U.S. Dept of Energy (DOE). (2010). *New York Canyon Simulation*. <https://www.energy.gov/eere/geothermal/articles/new-york-canyon-simulation>
- U.S. Dept of Energy (DOE). (2019). *GEOVISION: Harnessing the Heat Beneath Our Feet*.
- U.S. Dept of Energy (DOE). (2024). *Pathways to Commercial Liftoff: Next-Generation Geothermal Power*. <https://liftoff.energy.gov/next-generation-geothermal-power/>
- Vidal, J., & Genter, A. (2018). Overview of naturally permeable fractured reservoirs in the central and southern Upper Rhine Graben: Insights from geothermal wells. *Geothermics*, 74, 57–73. <https://doi.org/10.1016/j.geothermics.2018.02.003>
- Vulcan Energy. (2024). *Insheim Geothermal plant*. Vulcan Energy Resources. <https://v-er.eu/geothermal-plant/>
- Wagner, S., Reich, M., Buske, S., Konietzky, H., Förster, H.-J., & Förster, A. (2015). Petrothermal Energy Generation in Crystalline Rocks (Germany). *Proceedings World Geothermal Congress*.
- Wallroth, T., Eliasson, T., & Sundquist, U. (1999). Hot dry rock research experiments at Fjällbacka, Sweden. *Geothermics*, 28(4), 617–625. [https://doi.org/10.1016/S0375-6505\(99\)00032-2](https://doi.org/10.1016/S0375-6505(99)00032-2)
- Wei, W., Shuo, W., Yunchao, H., Xiaodong, L., Meigui, F., & Peifeng, Z. (2023). *3D Directional Drilling Technology for Hot Dry Rock of GH-03 Well in Gonghe Basin, Qinghai Province*. <https://www.worldgeothermal.org/pdf/IGAstandard/WGC/2023//497.pdf>
- Wertich, V., Tiewsoh, L. S., & Tiess, G. (2018). *Economic Feasibility Assessment Methodology (CHPM2030) [D5.2]*. https://www.chpm2030.eu/wp-content/uploads/2018/08/CHPM2030_D5.2.pdf
- Wertich, V., Tiewsoh, L. S., Tiess, G., Máté Osvald, János Szanyi, Tamás Medgyes, & Balázs Kóbor. (2018, September 4). *Economic and Environmental Aspects of CHPM technology*. CHPM2030 Consortium Meeting, Reykjavik, Iceland. <https://eurogeologists.eu/wp-content/uploads/2019/06/6-Delft-conference-CHPM.pdf>
- Wolfgramm, M., Bartels, J., Hoffmann, F., Kittl, G., Lenz, G., Seibt, P., Schulz, R., Thomas, R., & Unger, H. J. (2007). *Unterhaching geothermal well doublet: Structural and hydrodynamic reservoir characteristic; Bavaria (Germany)*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/EGC/2007/047.pdf>
- Wolfgramm, M., Bloch, T., Bartels, J., Heuberger, S., Kuhn, P., Naef, H., Seibt, P., Sonderegger, M., Steiger, T., & Uhlig, S. (2015). *Reservoir-Geological Characterization of a Fractured Limestone: Results Obtained from the Geothermal Well St. Gallen GT-1 (Switzerland)*.
- Xing, P., Moore, J., Damjanac, B., & McLennan, J. (2024). Investigation of thermal cooling effect of long-term circulation in Raft River enhanced geothermal system. *Geothermics*, 120, 103026. <https://doi.org/10.1016/j.geothermics.2024.103026>
- Yamaguchi, T., Seo, K., & Suga, S. (1984). *HYDRAULIC FRACTURING AND PROPPING TESTS AT YAKEDAKE FIELD IN JAPAN. Vol. 8*. <https://publications.mygeoenergynow.org/grc/1001200.pdf>
- Ygllopaz, D. M., Buiiing, B. C., Malate, R. C. M., Sta. Ana, F. X. M., Austria, J. J. C., Salera, J. R. M., Lacanilao, A. M., & Sarmiento, Z. F. (1998). *Proving the Mahanagdong B Resource: A Case of a Large-Scale Well Stimulation Strategy, Leyte Geothermal Power Project, Philippines*. <https://pangea.stanford.edu/ERE/pdf/IGAstandard/SGW/1998/Ygllopaz.pdf>

- Yin, X., Jiang, C., Yin, F., Zhai, H., Zheng, Y., Wu, H., Niu, X., Zhang, Y., Jiang, C., & Li, J. (2024). Assessment and optimization of maximum magnitude forecasting models for induced seismicity in enhanced geothermal systems: The Gonghe EGS project in Qinghai, China. *Tectonophysics*, 886, 230438. <https://doi.org/10.1016/j.tecto.2024.230438>
- Yoshioka, K., Pasikki, R., & Stimac, J. (2019). A long term hydraulic stimulation study conducted at the Salak geothermal field. *Geothermics*, 82, 168–181. <https://doi.org/10.1016/j.geothermics.2019.06.005>
- Yu, P. (2022). *Empowering Enhanced Geothermal Systems via Numerical Modelling and Data Science*. University of Auckland.
- Zang, A., Oye, V., Jousset, P., Deichmann, N., Gritto, R., McGarr, A., Majer, E., & Bruhn, D. (2014). Analysis of induced seismicity in geothermal reservoirs – An overview. *Geothermics*, 52, 6–21. <https://doi.org/10.1016/j.geothermics.2014.06.005>
- Zhai, H., Jin, G., Liu, L., Su, Z., Zeng, Y., Liu, J., Li, G., Feng, C., & Wu, N. (2023). Parametric study of the geothermal exploitation performance from a HDR reservoir through multilateral horizontal wells: The Qiabuqia geothermal area, Gonghe Basin. *Energy*, 275, 127370. <https://doi.org/10.1016/j.energy.2023.127370>
- Zhang, E., Wen, D., Wang, G., Jin, X., Zhang, L., Wu, H., Wang, W., Ye, C., Weng, W., Li, K., Wu, J., Tang, X., Zhang, C., Feng, Q., Lian, S., Hu, L., Zhu, G., Xie, X., Wu, B., ... Yang, L. (2024). Two stages power generation test of the hot dry rock exploration and production demonstration project in the Gonghe Basin, northeastern Qinghai-Tibet plateau, China. *China Geology*, 7(3), 409–421. <https://doi.org/10.31035/cg2024082>
- Zhang, E., Wen, D., Wang, G., Yan, W., Wang, W., Ye, C., Li, X., Wang, H., Tang, X., Weng, W., Li, K., Zhang, C., Liang, M., Luo, H., Hu, H., Zhang, W., Zhang, S., Jin, X., Wu, H., ... Yang, L. (2022). The first power generation test of hot dry rock resources exploration and production demonstration project in the Gonghe Basin, Qinghai Province, China. *China Geology*, 5(3), 372–382. <https://doi.org/10.31035/cg2022038>
- Zhang, K. M., Romanelli, M., & Hssaine, C. (2015). *Deep Geothermal Energy*.
- Zhang L., LI X., Zhu G., Zhang S., Chao Z., Huang W., Qingda F., Wenghao X., Zhaoxuan N., & Zhihui D. (2025). Geothermal geological characteristics, genetic model and resource potential of hot dry rocks in Gonghe Basin, Qinghai Province. *GEOLOGY IN CHINA*. <https://doi.org/10.12029/gc20240226001>
- Zhong, C., Xu, T., Yuan, Y., Feng, B., & Yu, H. (2022). The feasibility of clean power generation from a novel dual-vertical-well enhanced geothermal system (EGS): A case study in the Gonghe Basin, China. *Journal of Cleaner Production*, 344, 131109. <https://doi.org/10.1016/j.jclepro.2022.131109>
- Ziagos, J., Phillips, B. R., Boyd, L., Jelacic, A., Stillman, G., & Hass, E. (2013). *A Technology Roadmap for Strategic Development of Enhanced Geothermal Systems* (1219933; p. 1219933). <https://doi.org/10.2172/1219933>

Section VIII

Appendix: Methodology

The following section outlines the methodology used to research and create a database of EGS projects for analysis.

To develop a comprehensive database of current and historical EGS projects and wells, over 400 academic, media, and commercial sources were reviewed. Data was collected on a range of technical and economic characteristics across traditional EGS, enhanced hydrothermal, and enhanced hot sedimentary aquifer (HAS) projects from the 1970s through Q1 2025.

All reported values were standardized by unit of measurement, currency, and other categories to facilitate comparative analysis. Specifically for drilling costs, the following simplified method was applied:

1. Currency inflation adjustment using annual consumer price index (CPI) or producer price index (PPI) calculators to estimate 2024 values in the reported currency (Bank of England, 2025; Euro Inflation Calculator, 2025; Federal Reserve Bank of Minneapolis, 2024; Reserve Bank of Australia, 2025; Switzerland Inflation Calculator, 2025).
2. Subsequently, currency conversion from reported 2024 currency to 2024 USD, to enable comparison across currencies and countries, using an annual foreign exchange converter (IRS.gov, 2025). It is recognized that the application of drilling cost and regional producer indexes (such as the Cornell Energy Institute (CEI) index) would likely result in a more precise

cost comparison (Lukawski et al., 2014). Nonetheless, the streamlined approach followed in this report is meant to provide at least indicative trend analyses of drilling costs over time. The original ‘as reported’ figures are also provided for further standardization by alternate means.

Many projects had differing or contradictory values from conflicting sources—and sometimes multiple values for a single attribute were found within a single report. In some cases, these differences were likely attributable to different phases of a project’s development. In others, no clear explanation was apparent. In all cases, preference was given to primary sources—including contemporaneous academic publications by firsthand project researchers and government filings—over secondary or derivative reporting.

Standardized data was then analyzed along key technical and economic metrics commonly associated with technical maturity and commercial viability. For example the selected indicators are amongst those highlighted in the 2024 Pathways to Commercial Liftoff report (US Dept of Energy (DOE), 2024). Other sources for metrics and indicative commercial benchmarks were applied from (Lowry et al., 2017; Raos et al., 2022; The Future of Geothermal Energy, 2006; US Dept of Energy (DOE), 2019). Further explanation of the metric selection (including applied benchmarks and thresholds) may be found in (Lipton, 2024).